Author Index

Allison, S. A.
—; Shibata, J. H.; Wilcoxon, J.; Schurr, J. M.: NMR Relaxation in DNA. I. The Contribution of Torsional Deformation Modes of the Elastic Filament, 729
Ananthanarayanan, V. S. See Brahmachari, S. K., 1107
Anderegg, J. W. See Roska, F. J., 1833
Anteunis, M. J. O. See Callens, R. E. A., 1005
Applequist, J.
Effects of Side-Chain Conformation on π-π^* Circular Dichroic Spectra of Poly(L-α-aminobutyric acid) General Helices (Communication), 703
Theoretical π-π^* Absorption and Circular Dichroic Spectra of Polypeptide β-Structures, 779
Ascarelli, G. See Beetz, C. P., Jr., 1569
Assa-Munt, N. See Granot, J., 873
Ataka, S. See Tasumi, M., 711
Auer, H. E.
—; Miller-Auer, H.: Two Classes of β-Pleated Sheet Conformation in Poly(L-tyrosine): Evidence From Solvent Perturbation Difference Spectroscopy, 1245
Azbel, M. Y.
—; Kantor, Y.; Verkh, L.; Vilenkin, A.: Statistical Analysis of DNA Sequences. I (Communication), 1687

Balaram, H. See Prasad, B. V. V., 1261
Balaram, P. See Iqbal, M., 1427; Prasad, B. V. V., 1261; Rao, Ch. P., 2461; Suguna, K., 1847
Bale, M. D.
—; Janmey, P. A.; Ferry, J. D.: Kinetics of Formation of Fibrin Oligomers. II. Size Distributions of Ligated Oligomers, 2265
Barteri, M.
—; Pispisa, B.: Stereospecific Oxidation of Ascorbic Acid by Chiral Association Complexes Between Polypeptides and Iron(III) Chelate Ions, 1093
Bartunik, H. D.
—; Jolles, P.; Berthou, J.; Dianoux, A. J.: Intramolecular Low-Frequency Vibrations in Lysozyme by Neutron Time-of-Flight Spectroscopy, 43
Beetz, C. P., Jr.
—; Ascarelli, G.: Far-Infrared Absorption of Nucleotides and Poly(I)·Poly(C) RNA, 1569
Belbruno, K. C. See Brodsky, B., 935
Bellamy, A. R. See Waki, S., 1909
Benbasat, J. A.
—; Bloomfield, V. A.: Hydrodynamics, Size, and Shape of Bacteriophage T4D Tails and Baseplates, 797
Benham, C. J.
Stable Cruciform Formation at Inverted Repeat Sequences in Supercoiled DNA, 679
Benight, A. S. See Wartell, R. M., 2069
Berthou, J. See Bartunik, H. D., 43
Bhatnagar, R. S. See Brahmachari, S. K., 1107
Bianco, P. See Serre, P.-A., 1781
Birshtein, T. M. See Zhulina, E. B., 1021
Bishop, G. See Wyman, J., 1735
Black, B. E.
—; Carr, S. H.; Ohkubo, H.; Ostrow, J. D.: Equilibrium Swelling of Pigment Gallstones: Evidence for Network Polymer Structure, 601
Blaha, K. See Vicar, J., 2317
Blakeney, E. W., Jr. See Robinson, R. M., 1217
Blauer, G.
—; Silfen, J.: Kinetics of Transfer in Aqueous Solution of Ferriprotoporphyrin IX From Human Serum Albumin to Sperm Whale Apomyoglobin, 2399
Bloom, M. See MacKay, A. L., 1521
Bloomfield, V. A. See Benbasat, J. A., 797
Blumberg, K. See Bush, C. A., 1971
Bolton, P. H. See Mirau, P. A., 909
Bonora, G. M. See Salardi, S., 1229
Borremans, F. A. M. See Callens, R. E. A., 1005
Brahmachari, S. K.
—; Rapaka, R. S.; Bhatnagar, R. S.; Ananthanarayanan, V. S.: Proline-Containing β-Turns in Peptides and Proteins. II. Physicochemical Studies on Tripeptides with the Pro-Gly Sequence, 1107
Braunlin, W. H.
—; Strick, T. J.; Record, M. T., Jr.: Equilibrium Dialysis Studies of Polyamine Binding to DNA, 1301

Breslauer, K. J. See Marky, L. A., 2185
Brodsky, B.
—; Eikenberry, E. F.; Belbruno, K. C.; Sterling, K.: Variations in Collagen Fibril Structure in Tendons, 935
Brown, J. N. See Bush, C. A., 1971
Broyde, S. B. See Hingerty, B. E., 1167
Bryant, R. G. See Rose, D. M., 653
Bujalowski, W. See Patkowski, A., 1503
Burjanadze, T. V.
Evidence for the Role of 4-Hydroxyproline Localized in the Third Position of the Triplet (Gly-X-Y) in Adaptational Changes of Thermostability of a Collagen Molecule and Collagen Fibrils, 1489
Stabilization of Collagen Structure: Dependence of Collagen Denaturation Enthalpy on the Imino Acid Content, 1587
—; Kisiriya, E. L.: Dependence of Thermal Stability on the Number of Hydrogen Bonds in Water-Bridged Collagen Structure, 1695
Bush, C. A.
Conformational Energy Calculations on Glycosylated Turns in Glycoproteins, 535
—; Blumberg, K.; Brown, J. N.: Crystal Structure and Solution Conformation of 1-*N*-Acetyl-β-D-Glucopyranosyl Amine: A Model for the Glycopeptide Linkage, 1971

Cairney, K. L.
—; Harrington, R. E.: Flow Birefringence of T7 Phage DNA: Dependence on Salt Concentration, 923
Calkins, H. H. See Skinner, J. F., 833
Callens, R. E. A.
—; Anteunis, M. J. O.; Borremans, F. A. M.: Determination of Intramolecular Microdynamical Characteristics in Solution of the Cyclic Hexadepsipeptide Antibiotic Pristinamycin I_A from ^{13}C Spin Lattice Relaxation Measurements (Communication), 1005
Capaldi, M .J.
—; Chapman, J. A.: The C-Terminal Extrahelical Peptide of Type I Collagen and Its Role in Fibrillogenesis *In Vitro*, 2291
Carr, S. H. See Black, B. E., 601
Causley, G. C.
—; Johnson, W. C., Jr.: Polynucleotide Conformation from Flow Dichroism Studies, 1763
Cesaro, A.
—; Ciana, A.; Delben, F.; Manzini, G.; Paoletti, S.: Physicochemical Properties of Pectic Acid. I. Thermodynamic Evidence of a pH-Induced Conformational Transition in Aqueous Solution, 431
Chanzy, H. D.
—; Grosrenaud, A.; Joseleau, J. P.; Dube, M.; Marchessault, R. H.: Crystallization Behavior of Glucomannan, 301
Chapman, J. A. See Capaldi, M .J., 2291
Cheng, D. M.
—; Kan, L-S.; Miller, P. S.; Leutzinger, E. E.; Ts'o, P. O. P.: An Effective Method for the Assignment of ^{31}P-NMR Resonance(s) of Oligonucleotides (Communication), 697
Chinsky, L.
—; Turpin, P. Y.: Poly(dA-dT) Complexes with Histone H1 and Pancreatic Ribonuclease: Specific Base Recognition Evidenced by Ultraviolet Resonance Raman Spectroscopy, 277
Chu, B. See Patkowski, A., 1503
Ciana, A. See Cesaro, A., 431
Clementi, E.
—; Corongiu, G.: Simulations of the Solvent Structure for Macromolecules. III. Determination of the Na^+ Counterion Structure, 763
Comper, W. D. See Wik, K.-O., 583
Cordone, L. See Cupane, A., 1081
Corongiu, G. See Clementi, E., 763
Cosani, A.
—; Terbojevich, M.; Palumbo, M.; Peggion, E.; Goodman, M.: *N*-Substitutes Poly-α-Amino Acids. III. Synthesis and Conformational Properties of Poly(*N*-Methyl-L-Glutamic Acid) (Communication), 471
Creeth, J. M. See Crossley, J. M., 233
Crescenzi, V. See Delben, F., 331
Crippen, G. M.
Energy Embedding of Trypsin Inhibitor, 1933
Crossley, J. M.
—; Spraggs, S. P.; Creeth, J. M.; Noble, N.; Slack, J.: Anomalous Temperature Dependence of Frictional Coefficients: Diffusion and Sedimentation Measurement of Low-Density Lipoproteins, Albumin, and Polystyrene Latex, 233
Crothers, D. M. See Lee, K. S., 101
Cung, M. T.
—; Marraud, M.: Conformational Dependence of the Vicinal Proton Coupling Constant for the C^α—C^β Bond in Peptides, 953
Cupane, A.
—; Giacomazza, D.; Cordone, L.: Kinetics of Thermal Denaturation of Met-Hemoglobin in Perturbed Solvent: Relevance of Bulk-Electrostatic and Hydrophobic Interactions, 1081

Davis, C. C. See Swicord, M. L., 2453
Deber, C. M. See Hughes, D. W., 169
de la Torre, J. G. See Mellado, P., 1857

Delben, F. See Cesaro, A., 431
—; Quadrifoglio, F.; Giancotti, V.; Crescenzi, V.: Comparative Microcalorimetric and Dilatometric Analysis of the Interactions of Quinacrine, Chloroquine, and Ethidium Bromide with DNA, 331
Denton, J. B.
—; Powers, S. P.; Zweifel, B. O.; Scheraga, H. A.: Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXI. Glutamine Parameters from Random Poly(hydroxypropylglutamine-co-L-glutamine) and Poly(hydroxybutylglutamine-co-L-glutamine), 51
Dhall, D. P. See Shah, G. A., 1037
Dhall, T. Z. See Shah, G. A., 1037
Dhingra, M. M.
—; Saran, A.: Correlation Between Sugar Pucker and the Orientation Around the C3′—O3′ Bond (ϕ') in 3′-Mononucleotides, 859
Dianoux, A. J. See Bartunik, H. D., 43
Diem, M.
Conformational Studies of Diastereomeric Alanyl Tripeptides in Solution and Solid Phases via Raman Spectroscopy (Communication), 705
Dietler, G. See Wiltzius, P., 2205
Dorfmuller, T. See Patkowski, A., 1473
Dube, M. See Chanzy, H. D., 301
Dwivedi, A. M. See Tasumi, M., 711
—; Krimm, S.: Vibrational Analysis of Peptides, Polypeptides, and Proteins. XV. Crystalline Polyglycine II, 2377

Easwaran, K. R. K. See Sankaram, M. B., 1557; Shekar, S. C., 1479
Edelhoch, H. See Minton, A. P., 451
Eftink, M. R. See Harrison, J. C., 1153
Eikenberry, E. F. See Brodsky, B., 935
Engelman, D. M. See Pickover, C. A., 817
Erukhimovitch, I. Ya. See Grosberg, A. Yu., 2413
Esipova, N. G. See Tumanyan, V. G., 475
Everhart, C. H.
—; Johnson, C. S., Jr.: Pulsed Field Gradient NMR Determination of the Temperature Dependence of the Tracer Diffusion Coefficient of Hemoglobin, 2049

Fehrle, M. See Kricheldorf, H. R., 2097
Feigon, J. See Granot, J., 181
Ferguson, I. A. See Shah, G. A., 1037
Fermandjian, S. See Vicar, J., 2317
Ferry, J. D. See Bale, M. D., 2265; Roska, F. J., 1811, 1833
Fletterick, R. J.
—; Matela, R.: Color-Coded α-Carbon Models of Proteins (Communication), 999
Frisch, H. L. See Lerman, L. S., 995
Fujimori, E. See Shambaugh, N., 79
Fukada, E. See Maeda, H., 2055
Fytas, G. See Patkowski, A., 1473

Galat, A.
—; Jankowski, A.: Circular Dichroism Study of Modified Nucleosides, 849
Garnier-Suillerot, A. See Salardi, S., 1229
Gauntt, J. See Schmitz, K. S., 1365
Gemperle, A.
—; Holan, Z.; Pokorny, V.: The Glucan–Chitin Complex in *Saccharomyces cerevisiae*. IV. The Electron Diffraction of Crustacean and Yeast Cell Wall Chitin, 1
Giacomazza, D. See Cupane, A., 1081
Giacomoni, P. U.
Melting Experiment Concerning the Topological Structure of Closed Circular Double-Stranded DNA, 117
Giancotti, V. See Delben, F., 331
Gill, S. See Wyman, J., 1735
Go, N. See Kano, F., 565
Goodman, M. See Cosani, A., 471; Ribeiro, A. A., 2225
Gorbunov, A. A. See Zhulina, E. B., 1021
Granot, J.
—; Feigon, J.; Kearns, D. R.: Interactions of DNA with Divalent Metal Ions. I. ^{31}P-NMR Studies, 181
—; Kearns, D. R.: Interactions of DNA with Divalent Metal Ions. II. Proton Relaxation Enhancement Studies, 203
—; Kearns, D. R.: Interactions of DNA With Divalent Metal Ions. III. Extent of Metal Binding: Experiment and Theory, 219
—; Assa-Munt, N.; Kearns, D. R.: Interactions of DNA with Divalent Metal Ions. IV. Competitive Studies of Mn^{2+} Binding to AT- and GC-Rich DNAs, 873
Grosberg, A. Yu.
—; Erukhimovitch, I. Ya.; Shakhnovitch, E. I.: On the Theory of Ψ-Condensation, 2413
Grosrenaud, A. See Chanzy, H. D., 301

Haberli, A. See Wiltzius, P., 2205
Haladjian, J. See Serre, P.-A., 1781
Hall, S. B.
—; Schellman, J. A.: Flow Dichroism of Capsid DNA Phages. I. Fast and Slow T4B, 1991
—; Schellman, J. A.: Flow Dichroism of Capsid DNA Phages. II. Effect of DNA Deletions and Intercalating Dyes, 2011
Harrington, R. E. See Cairney, K. L., 923; Reeg, C. F., 1315
Harrison, J. C.
—; Eftink, M. R.: Cyclodextrin–Adamantanecarboxylate Inclusion Complexes: A Model System for the Hydrophobic Effect, 1153

Harvey, J. D. See Waki, S., 1909
Haschemeyer, R. H. See Todd, G. P., 17
Hayakawa, T. See Yamamoto, H., 1137
Hillquist Damon, A. J.
—; Kresheck, G. C.: Influence of Surfactants on the Conformation of β-Lactoglobulin B Using Circular Dichroism, 895
Hingerty, B. E.
—; Broyde, S. B.; Olson, W. K.: The Poly(rU) Coil: A Minimum-Energy Model That Matches Experimental Observations, 1167
Holan, Z. See Gemperle, A., 1
Hooker, T. M., Jr. See Snyder, R. W., 547
Howard, F. B.
—; Miles, H. T.: A Stereospecific Complex of Poly(I) with Ammonium Ion, 147
Hughes, D. W.
—; Deber, C. M.: Conformations of Cyclic Peptide/Calcium Complexes in Solution, 169
Hull, W. E. See Kricheldorf, H. R., 359, 1635

Ifft, J. B. See Sharp, D. S., 1127
Ihara, S.
—; Ooi, T.; Takahashi, S.: Effects of Salts on the Nonequivalent Stability of the α-Helices of Isomeric Block Copolypeptides, 131
Iijima, T. See Satoh, M., 1927
Imanishi, Y. See Sisido, M., 1597, 1613
Iqbal, M.
—; Balaram, P.: Aggregation of Apolar Peptides in Organic Solvents. Concentration Dependence of ^{1}H-NMR Parameters for Peptide NH Groups in 3_{10} Helical Decapeptide Fragment of Suzukacillin, 1427
Iso, N. See Saito, T., 715
Ito, H. See Sisido, M., 1597
Iwamaru, H. See Nakano, M., 805

James, T. L. See Mirau, P. A., 909
Jankowski, A. See Galat, A., 849
Janmey, P. A. See Bale, M. D., 2265
Kinetics of Formation of Fibrin Oligomers. I. Theory, 2253
Jayaraman, S.
—; Yathindra, N.; Sundaralingam, M.: Backbone Conformations in Nucleic Acids: The Occurrence of g^+g^+ Internucleotide Phosphodiester Conformation, 1207
Jernigan, R. L. See Miyazawa, S., 1333
Johnson, C. S., Jr. See Everhart, C. H., 2049
Johnson, W. C., Jr. See Causley, G. C., 1763; Sprecher, C. A., 321
Jolles, P. See Bartunik, H. D., 43
Jones, M. N.
—; Manley, P.; Midgley, P. J. W.; Wilkinson, A. E.: Dissociation of Bovine and Bacterial Catalases by Sodium *n*-Dodecyl Sulfate, 1435
Jones, P. G. See Viswamitra, M. A., 513
Joseleau, J. P. See Chanzy, H. D., 301
Juy, M. See Vicar, J., 2317

Kamalam, R. See Srinivasan, R., 251, 265
Kan, L-S. See Cheng, D. M., 697
Kano, F.
—; Go, N.: Dynamics of Folding and Unfolding Transition in a Globular Protein Studied by Time Correlation Functions from Computer Simulation, 565
Kantor, Y. See Azbel, M. Y., 1687
Kanzig, W. See Wiltzius, P., 2205
Kaplan, L. J. See Skinner, J. F., 833
Kato, T.
—; Okamoto, T.; Tokuya, T.; Takahashi, A.: Solution Properties and Chain Flexibility of Pullulan in Aqueous Solution, 1623
Katz, J. E. See Maestre, M. F., 1899
Kearns, D. R. See Granot, J., 181, 203, 219, 873
Keepers, J. W. See Kollman, P., 2345
Kennard, O. See Viswamitra, M. A., 513
Kent, J. C. See Schmitz, K. S., 1365
Kim, H.
Normal Modes and Structure of Iodine in the Starch–Iodine Complex, 2083
Kisiriya, E. L. See Burjanadze, T. V., 1695
Kohli, M. See Van Zandt, L. L., 1465
—; Van Zandt, L. L.: Microwave Absorption by Folded DNA Chains, 1399
Kollman, P.
—; Weiner, P.; Quigley, G.; Wang, A.: Molecular-Mechanical Studies of Z-DNA: A Comparison of the Structural and Energetic Properties of Z- and B-DNA, 1945
—; Keepers, J. W.; Weiner, P.: Molecular-Mechanics Studies on $d(CGCGAATTCGCG)_2$ and dA_{12}·dT_{12}: An Illustration of the Coupling Between Sugar Repuckering and DNA Twisting, 2345
Komiyama, J. See Satoh, M., 1927
Kostetsky, P. V. See Pletnev, V. Z., 287
Kral, F. See Strauss, G., 459
Kresheck, G. C. See Hillquist Damon, A. J., 895
Kricheldorf, H. R.
—; Fehrle, M.: New Polymer Syntheses. IV. Polypeptides of Lysine and Ornithine with Pendant Pyrimidine Bases, 2097
—; Hull, W. E.: ^{15}N-NMR Spectroscopy. 33. Assignments of Isotactic and Syndiotactic Sequences in Poly(D,L-amino acids), 359
—; Hull, W. E.: ^{15}N-NMR Spectroscopy. 34. Stereospecificity of the Polymerization of D,L-Leucine *N*-Carboxyanhydride and γ-OMe-D,L-Glutamic Acid *N*-Carboxyanhydride, 1635

Krimm, S. See Dwivedi, A. M., 2377; Tasumi, M., 711
Kristof, W.
—; Zundel, G.: Proton Transfer and Polarizability of Hydrogen Bonds Formed Between Cysteine and Lysine Residues, 25
Kure, N. See Yakabe, Y., 1703
Kuzin, A. P. See Pletnev, V. Z., 287

Lal, B. B.
—; Nafie, L. A.: Vibrational Circular Dichroism in Amino Acids and Peptides. 7. Amide Stretching Vibrations in Polypeptides, 2161
Lampert, M. A.
The δ-Function Counterion Condensate Around a Line Charge Derived from the Fuoss, Katchalsky, and Lifson Polyelectrolyte Theory, 159
Lam-Thanh, H. See Vicar, J., 2317
Lee, K. S.
—; Crothers, D. M.: Influence of Ionic Strength on the Dichroism Properties of Polynucleosomal Fibers, 101
Lerman, L. S.
—; Frisch, H. L.: Why Does the Electrophoretic Mobility of DNA in Gels Vary with the Length of the Molecule? (Communication), 995
Leutzinger, E. E. See Cheng, D. M., 697
Liles, W. C., Jr. See Skinner, J. F., 833
Lin, J. S. See Roska, F. J., 1833
Lumpkin, O. J.
—; Zimm, B. H.: Mobility of DNA in Gel Electrophoresis (Communication), 2315
Luscher-Mattli, M.
—; Ruegg, M.: Thermodynamic Functions of Biopolymer Hydration. I. Their Determination by Vapor Pressure Studies, Discussed in an Analysis of the Primary Hydration Process, 403
—; Ruegg, M.: Thermodynamic Functions of Biopolymer Hydration. II. Enthalpy–Entropy Compensation in Hydrophilic Hydration Processes, 419

MacKay, A. L.
—; Bloom, M.; Tepfer, M.; Taylor, I. E. P.: Broadline Proton Magnetic Resonance Study of Cellulose, Pectin, and Bean Cell Walls, 1521
Maeda, H.
—; Fukada, E.: Effect of Water on Piezoelectric, Dielectric, and Elastic Properties of Bone, 2055
Maestre, M. F.
—; Katz, J. E.: A Circular Dichroism Microspectrophotometer, 1899
Malathi, R.
—; Yathindra, N.: Polynucleotide Folding in Yeast $tRNA^{Phe}$. Elucidation of Short, Medium and Long Range Interactions of Sugar–Phosphate–Sugar Backbone and Base Using a "Blocked" Nucleotide Probe, 2033
Manley, P. See Jones, M. N., 1435
Manzini, G. See Cesaro, A., 431
Mao, B.
—; Pear, M. R.; McCammon, J. A.; Northrup, S. H.: Molecular Dynamics of Ferrocytochrome c: Anharmonicity of Atomic Displacements, 1979
Marchessault, R. H. See Chanzy, H. D., 301
Marchiori, F. See Salardi, S., 1229
Marini, M. A. See Martin, C. J., 1657, 1667
Marky, L. A.
—; Breslauer, K. J.: Calorimetric Determination of Base-Stacking Enthalpies in Double-Helical DNA Molecules, 2185
Marky, N. L.
—; Olson, W. K.: Loop Formation in Polynucleotide Chains. I. Theory of Hairpin Loop Closure, 2329
Marraud, M. See Cung, M. T., 953
Martin, C. J.
—; Wartell, R. M.: Changes in Raman Vibrational Bands of Calf Thymus DNA During the B-toA Transition, 499
—; Marini, M. A.: Ionization Behavior of Proteins. I. Spectral Titration of the Tyrosyl Groups of Chymotrypsinogen and Nitrated-Chymotrypsinogen, 1657
—; Marini, M. A.: Ionization Behavior of Proteins. II. Chymotrypsinogen and Its Group-Modified Derivatives: Study of Their Ionization Characteristics by Potentiometric and Calorimetric Titration, 1667
Matela, R. See Fletterick, R. J., 999
Matsuoka, Y.
—; Norden, B.: Linear Dichroism Studies of Nucleic Acids. II. Calculation of Reduced Dichroism Curves of A- and B-Form DNA, 2433
Mattice, W. L. See Robinson, R. M., 1217
McCammon, J. A. See Mao, B., 1979
Mellado, P.
—; de la Torre, J. G.: Steady-State and Transient Electric Birefringence of Solutions of Bent-Rod Macromolecules, 1857
Midgley, P. J. W. See Jones, M. N., 1435
Miles, H. T. See Howard, F. B., 147
Miller, K. J.
—; Newlin, D. D.: Interactions of Molecules with Nucleic Acids. VI. Computer Design of Chromophoric Intercalating Agents, 633
Miller, P. S. See Cheng, D. M., 697
Miller-Auer, H. See Auer, H. E., 1245
Minton, A. P.
—; Edelhoch, H.: Light Scattering of Bovine Serum Albumin Solutions: Extension of the Hard Particle Model to Allow for Electrostatic Repulsion, 451
Mirau, P. A.
—; Shafer, R. H.; James, T. L.; Bolton, P. H.: Fluoroquinacrine Binding to Nucleic Acids: Investigation of the ^{19}F-NMR, Optical, and Fluorescence Properties in the Presence of DNA, Poly(A), and tRNA, 909

Miyazawa, S.
—; Jernigan, R. L.: Equilibrium Folding and Unfolding Pathways for a Model Protein, 1333
Mizuno, H. See Saito, T., 715
Mosberg, H. I.
Long-Range Spin–Spin Coupling as an Aid for the Assignment of Aromatic Residues in Peptide ^{1}H-NMR Spectra (Communication), 2483
Mosher, L. E. See Painter, P. C., 1469
Murakami, K. See Yakabe, Y., 1703
Mutter, M. See Ribeiro, A. A., 2225

Nafie, L. A. See Lal, B. B., 2161
Nakano, M.
—; Iwamaru, H.; Tobita, T.; Yang, J. T.: Influence of Hemin on the Conformation of Cyanogen Bromide-Cleaved Peptides of Apomyoglobin, 805
Nemethy, G.
—; Scheraga, H. A.: Conformational Preferences of Amino Acid Side Chains in Collagen, 1535
Neumann, J. M.
—; Tran-Dinh, S.: ^{1}H-NMR Comparative Studies of Polynucleotides: Conformation and Dynamic Structure of Polyribo(uridylic) and Polyribo(cytidylic) Acids in Neutral Solution, 383
Newlin, D. D. See Miller, K. J., 633
Noble, N. See Crossley, J. M., 233
Norden, B. See Matsuoka, Y., 2433; Tjerneld, F., 343
—; Tjerneld, F.: Structure of Methylene Blue–DNA Complexes Studied by Linear and Circular Dichroism Spectroscopy, 1713
Northrup, S. H. See Mao, B., 1979

Odashima, H. See Saito, T., 715
Ohkubo, H. See Black, B. E., 601
Okamoto, T. See Kato, T., 1623
Olson, W. K. See Hingerty, B. E., 1167; Marky, N. L., 2329
Onda, N. See Saito, T., 715
Ooi, T. See Ihara, S., 131
Ostrow, J. D. See Black, B. E., 601

Painter, P. C.
—; Mosher, L. E.; Rhoads, C.: Low-Frequency Modes in the Raman Spectra of Proteins (Communication), 1469
Palumbo, M. See Cosani, A., 471
Paoletti, S. See Cesaro, A., 431
Parthasarathy, N. See Schmitz, K. S., 1365
Patkowski, A.
—; Bujalowski, W.; Chu, B.; Schneerson, R.; Robbins, J. B.: Light-Scattering Spectroscopic Study of Polysaccharide Protein Conjugate, 1503
—; Fytas, G.; Dorfmuller, T.: Thermal Denaturation of DNA: Interferometric Depolarized Light-Scattering Study (Communication), 1473
Pear, M. R. See Mao, B., 1979
Pefferkorn, E.
—; Schmitt, A.; Varoqui, R.: Helix–Coil Transition of Poly(α,L-Glutamic acid) at an Interface: Correlation with Static and Dynamic Membrane Properties, 1451
Peggion, E. See Cosani, A., 471
Peticolas, W. L. See Strommen, D. P., 969
Pickover, C. A.
—; Engelman, D. M.: On the Interpretation and Prediction of X-Ray Scattering Profiles of Biomolecules in Solution, 817
Piriou, F. See Vicar, J., 2317
Pispisa, B. See Barteri, M., 1093
Pletnev, V. Z.
—; Kuzin, A. P.; Trakhanov, S. D.; Kostetsky, P. V.: Three-Dimensional Structure of Actinoxanthin. IV. A 2.5-A Resolution, 287
Pokorny, V. See Gemperle, A., 1
Polnaszek, C. F. See Rose, D. M., 653
Ponnuswamy, P. K. See Prabhakaran, M., 2473
Post, C. B.
—; Zimm, B. H.: Light-Scattering Study of DNA Condensation: Competition Between Collapse and Aggregation, 2139
—; Zimm, B. H.: Theory of DNA Condensation: Collapse Versus Aggregation, 2123
Powers, S. P. See Denton, J. B., 51
Prabhakaran, M.
—; Ponnuswamy, P. K.: Hydrophobic Contribution to the Binding of Actinomycin D to Deoxyguanosines (Communication), 2473
Prasad, B. V. V. See Suguna, K., 1847
—; Balaram, H.; Balaram, P.: Type II β-Turn Conformation of Pivaloyl-L-Prolyl-α-Aminoisobutyryl-*N*-Methylamide: Theoretical, Spectroscopic, and X-Ray Studies, 1261
Prohofsky, E. W. See Putnam, B. F., 885; Van Zandt, L. L., 1465
Putnam, B. F.
—; Prohofsky, E. W.; Van Zandt, L. L.: Calculated Compression, Bending, Shearing, Torsion, and Base-Tilting Force Constants of B- and A-Form Poly(dG)-Poly(dC), 885

Quadrifoglio, F. See Delben, F., 331
Quigley, G. See Kollman, P., 1945

Ramakumar, S. See Suguna, K., 1847
Rao, Ch. P.
—; Balaram, P.: Molecular Structure of *t*-Butyloxycarbonyl-Leu-Aib-Pro-Val-Aib-Methyl Ester, a Fragment of Alamethicin and Suzukacillin: A 3_{10}-Helical Pentapeptide, 2461

Rapaka, R. S. See Brahmachari, S. K., 1107
Record, M. T., Jr. See Braunlin, W. H., 1301
Reeg, C. F.
—; Harrington, R. E.: Steady-State Opticohydrodynamic Properties of DNA: Molecular Weight Dependence and the Internal Viscosity Problem, 1315
Rhoads, C. See Painter, P. C., 1469
Ribeiro, A. A.
—; Saltman, R. P.; Goodman, M.; Mutter, M.: ^{1}H-NMR Studies of Polyoxyethylene-Bound Homo-oligo-L-methionines, 2225
Richey, B. See Wyman, J., 1735
Robbins, J. B. See Patkowski, A., 1503
Robinson, R. M.
—; Blakeney, E. W., Jr.; Mattice, W. L.: Lipid-Induced Conformational Changes in Glucagon, Secretin, and Vasoactive Intestinal Peptide, 1217
Rose, D. M.
—; Polnaszek, C. F.; Bryant, R. G.: ^{25}Mg-NMR Investigations of the Magnesium Ion–DNA Interaction, 653
Roska, F. J.
—; Ferry, J. D.: Studies of Fibrin Film. I. Stress Relaxation and Birefringence, 1811
—; Ferry, J. D.; Lin, J. S.; Anderegg, J. W.: Studies of Fibrin Film. II. Small-Angle X-Ray Scattering, 1833
Ruegg, M. See Luscher-Mattli, M., 403, 419

Saito, T.
—; Iso, N.; Mizuno, H.; Onda, N.; Yamato, H.; Odashima, H.: Semiflexibility of Collagens in Solution, 715
Salardi, S.
—; Tosi, L.; Garnier-Suillerot, A.; Toniolo, C.; Bonora, G. M.; Marchiori, F.: Cu(II)–Protamine Interaction. II. The Formation and Structure of Cu(II) Complexes of Clupeine YII and of Peptides Mimicking Clupeine N-Terminals, 1229
Salisbury, S. A. See Viswamitra, M. A., 513
Saltman, R. P. See Ribeiro, A. A., 2225
Sankaram, M. B.
—; Easwaran, K. R. K.: CD and NMR Studies on the Interaction of Lithium Ion with Valinomycin and Gramicidin-S, 1557
Sano, T. See Yakabe, Y., 1703
Saran, A. See Dhingra, M. M., 859
Satoh, M.
—; Komiyama, J.; Iijima, T.: Salt Effects on the Helix–Coil Transition of Sodium Poly(L-glutamate) in Aqueous Solution (Communication), 1927
Saudek, V.
—; Stokrova, S.; Schmidt, P.: Conformational Study of Poly(α-L-aspartic acid), 1011
—; Stokrova, S.; Schmidt, P.: Conformational Study of Poly(α,β-L-asparatic acid), 2195
Schellman, J. A. See Hall, S. B., 1991, 2011
Scheraga, H. A. See Denton, J. B., 51; Nemethy, G., 1535; Wako, H., 611
Schmidt, P. See Saudek, V., 1011, 2195
Schmitt, A. See Pefferkorn, E., 1451
Schmitz, K. S.
—; Parthasarathy, N.; Kent, J. C.; Gauntt, J.: Quasielastic Light Scattering by Biopolymers. V. Interparticle Interactions Between Polynucleosomes, 1365
Quasielastic Light Scattering by Biopolymers. VI. Diffusion of Mononucleosomes and Oligonucleosomes in the Presence of Static and Sinusoidal Electric Fields, 1383
Schneerson, R. See Patkowski, A., 1503
Schurr, J. M. See Allison, S. A., 729
Seed, B.
Theoretical Study of the Fraction of a Long-Chain DNA That Can Be Incorporated in a Recombinant DNA Partial-Digest Library, 1793
Serre, P.-A.
—; Haladjian, J.; Bianco, P.: Model for the Adsorption of Cytochrome c at the Water–Mercury Interface, 1781
Shafer, R. H. See Mirau, P. A., 909
—; Waring, M. J.: DNA bis-Intercalation: Theoretical Analysis, Including Cooperativity of the Interaction of Echinomycin Analogs with DNA, 2279
Shah, G. A.
—; Ferguson, I. A.; Dhall, T. Z.; Dhall, D. P.: Polydispersion in the Diameter of Fibers in Fibrin Networks: Consequences on the Measurement of Mass–Length Ratio by Permeability and Turbidity, 1037
Shakhnovitch, E. I. See Grosberg, A. Yu., 2413
Shakked, Z. See Viswamitra, M. A., 513
Shamala, N. See Suguna, K., 1847
Shambaugh, N.
—; Fujimori, E.: Fluorescent-Labeled Crosslinks in Collagen: Pyrenebutyrylhydrazine, 79
Sharp, D. S.
—; Ifft, J. B.: Effects of Pressure on the Composition Density Distribution in the Ultracentrifuge, 1127
Shekar, S. C.
—; Easwaran, K. R. K.: Proline Ring Conformations Corresponding to a Bistable Jump Model from ^{13}C Spin-Lattice Relaxation Times, 1479
Sheldrick, G. M. See Viswamitra, M. A., 513
Shibata, J. H. See Allison, S. A., 729
Shiner, J. S.
A Fully Nonequilibrium Concerted Model for Enzymes, 2241
Silfen, J. See Blauer, G., 2399
Sisido, M.
—; Imanishi, Y.: Monte Carlo Simulation of Photoselective Cyclization of Azobenzene-Containing Oligosarcosines, 1613

—; Ito, H.; Imanishi, Y.: Photoselective Synthesis of Azobenzene-Containing Cyclic Oligosarcosine and Its Thermal *Cis* → *Trans* Isomerization in Solution, 1597
Skinner, J. F.
—; Calkins, H. H.; Liles, W. C., Jr.; Kaplan, L. J.: Spin-Label Studies of the pH-induced Random Coil to α-Helix Conformational Transition in Poly(L-lysine), 833
Skvortsov, A. M. See Zhulina, E. B., 1021
Slack, J. See Crossley, J. M., 233
Snyder, R. W.
—; Hooker, T. M., Jr.: The Chiroptical Properties of Proteins. III. Adenylate Kinase, 547
Spokane, R. See Wyman, J., 1735
Spraggs, S. P. See Crossley, J. M., 233
Sprecher, C. A.
—; Johnson, W. C., Jr.: Change in Conformation of Various DNAs on Melting as Followed by Circular Dichroism, 321
Srinivasan, R.
—; Kamalam, R.: Polyelectrolyte Complexes of Glycol Chitosan with Some Polysaccharides. I. Mixing Ratio and Dielectric Properties, 251
—; Kamalam, R.: Polyelectrolyte Complexes of Glycol Chitosan with Some Polysaccharides. II. Electrical Conductivity, 265
Steiner, R. F.
—; Sternberg, H.: Properties of the Complexes Formed by 1-Anilinonaphthalene-8-Sulfonate with Phosphorylase Kinase and Calmodulin, 1411
Sterling, K. See Brodsky, B., 935
Sternberg, H. See Steiner, R. F., 1411
Stokrova, S. See Saudek, V., 1011, 2195
Straub, P. W. See Wiltzius, P., 2205
Strauss, G.
—; Kral, F.: Borate Complexes of Amphotericin B: Polymeric Species and Aggregates in Aqueous Solutions, 459
Strick, T. J. See Braunlin, W. H., 1301
Strommen, D. P.
—; Peticolas, W. L.: Interaction of Poly C with *cis*- and *trans*-Diamminedichloroplatinum (II): Secondary Structure Effects, 969
Sturm, J.
Binding of Ligands to a One-Dimensional Heterogeneous Lattice. III. Kinetic Model and Relaxation Study of the Interaction of Tilorone with DNA and Polynucleotides, 1189
Suguna, K.
—; Ramakumar, S.; Shamala, N.; Prasad, B. V. V.; Balaram, P.: Crystal Structures of Diketopiperazines Containing α-Aminoisobutyric Acid: Cyclo(Aib-Aib) and Cyclo(Aib-L-Ile), 1847
Sundaralingam, M. See Jayaraman, S., 1207
Swicord, M. L.
—; Davis, C. C.: Microwave Absorption of DNA Between 8 and 12 GHz, 2453
Szabo, A. See Tsuchiya, T., 979

Tachibana, H.
—; Wada, A.: Ligand-Induced Melting Reaction of Specific-Sequence DNA Molecules, 1873
Takahashi, A. See Kato, T., 1623
Takahashi, S. See Ihara, S., 131
Takeuchi, H. See Tasumi, M., 711
Tasumi, M.
—; Takeuchi, H.; Ataka, S.; Dwivedi, A. M.; Krimm, S.: Normal Vibrations of Proteins: Glucagon (Communication), 711
Taylor, I. E. P. See MacKay, A. L., 1521
Tepfer, M. See MacKay, A. L., 1521
Terbojevich, M. See Cosani, A., 471
Thole, B. T. See Van Duijnen, P. T., 1749
Tjerneld, F. See Norden, B., 1713
—; Norden, B.; Wallin, H.: Chromatin Structure Studied by Linear Dichroism at Different Salt Concentrations, 343
Tobita, T. See Nakano, M., 805
Todd, G. P.
—; Haschemeyer, R. H.: Reduced Sedimentation Equilibrium Time by Two-Step Initial Loading, 17
Tokuya, T. See Kato, T., 1623
Tominaga, Y. See Urabe, H., 2477
Toniolo, C. See Salardi, S., 1229
Tosi, L. See Salardi, S., 1229
Trakhanov, S. D. See Pletnev, V. Z., 287
Tran-Dinh, S. See Neumann, J. M., 383
Ts'o, P. O. P. See Cheng, D. M., 697
Tsuchiya, T.
—; Szabo, A.: Cooperative Binding of *n*-mers with Steric Hindrance to Finite and Infinite One-Dimensional Lattices, 979
Tumanyan, V. G.
—; Esipova, N. G.: Comprehensive Conformational Analysis of $(Gly\text{-}Pro\text{-}Pro)_n$ and $(Gly\text{-}Pro\text{-}Hyp)_n$ Related to Collagen, 475
Turpin, P. Y. See Chinsky, L., 277
Tvaroska, I.
Theoretical Studies on the Conformation of Saccharides. IV. Solvent Effect on the Stability of β-Maltose Conformers, 1887

Urabe, H.
—; Tominaga, Y.: Low-Lying Collective Modes of DNA Double Helix by Raman Spectroscopy (Communication), 2477

Van Duijnen, P. T.
—; Thole, B. T.: Cooperative Effects in α-Helices: An *ab initio* Molecular-Orbital Study, 1749

Van Zandt, L. L. See Kohli, M., 1399; Putnam, B. F., 885
—; Kohli, M.; Prohofsky, E. W.: Absorption of Microwave Radiation by DNA Double Helix *in aquo* (Communication), 1465
Varoqui, R. See Pefferkorn, E., 1451
Verkh, L. See Azbel, M. Y., 1687; Vilenkin, A., 1691
Vicar, J.
—; Blaha, K.; Piriou, F.; Juy, M.; Lam-Thanh, H.; Fermandjian, S.: Conformational Studies of Diastereoisomeric cyclo(Alanyl-phenylalanyl) with the Coupling Constants ^{1}H–^{1}H, ^{15}N–^{1}H, and ^{13}C–^{15}N, 2317
Vilenkin, A. See Azbel, M. Y., 1687
—; Verkh, L.: Statistical Analysis of DNA Sequences. II, 1691
Viswamitra, M. A.
—; Shakked, Z.; Sheldrick, G. M.; Salisbury, S. A.; Kennard, O.; Jones, P. G.: Structure of the Deoxytetranucleotide d-pApTpApT and a Sequence-Dependent Model for Poly(dA-dT), 513

Wada, A. See Tachibana, H., 1873
Waki, S.
—; Harvey, J. D.; Bellamy, A. R.: Study of Agarose Gels by Electron Microscopy of Freeze-Fractured Surfaces, 1909
Wako, H.
—; Scheraga, H. A.: Visualization of the Nature of Protein Folding by a Study of a Distance Constraint Approach in Two-Dimensional Models, 611
Wallin, H. See Tjerneld, F., 343
Wang, A. See Kollman, P., 1945
Waring, M. J. See Shafer, R. H., 2279
Wartell, R. M. See Martin, C. J., 499
—; Benight, A. S.: Fluctuational Base-Pair Opening in DNA at Temperatures Below the Helix–Coil Transition Region, 2069
Watanabe, F. See Yamagishi, A., 89
Weaver, D. L.
Microdomain Dynamics in Folding Proteins, 1275
Wegener, W. A.
A Swivel-Jointed Formalism for Segmentally Flexible Macromolecules and Its Application to the Rotational Behavior of Myosin, 1049
Weiner, P. See Kollman, P., 1945, 2345
Wetmur, J. G. See Wieder, R., 665
Wieder, R.
—; Wetmur, J. G.: Factors Affecting the Kinetics of DNA Reassociation in Phenol–Water Emulsion at High DNA Conecentations, 665
Wik, K.-O.
—; Comper, W. D.: Hyaluronate Diffusion in Semidilute Solutions, 583
Wilcoxon, J. See Allison, S. A., 729
Wilkinson, A. E. See Jones, M. N., 1435
Wiltzius, P.
—; Dietler, G.; Kanzig, W.; Haberli, A.; Straub, P. W.: Fibrin Polymerization Studied by Static and Dynamic Light-Scattering as a Function of Fibrinopeptide A Release, 2205
Wyman, J.
—; Bishop, G.; Richey, B.; Spokane, R.; Gill, S.: Examination of Haldane's First Law for the Partition of CO and O_2 to Hemoglobin A_0, 1735

Yakabe, Y.
—; Sano, T.; Kure, N.; Murakami, K.; Yasunaga, T.: Kinetic and Equilibrium Studies of the Interactions of Silver Ions with Poly(A), 1703
Yamagishi, A.
—; Watanabe, F.: Electric Dichroism Studies on Ferriheme– and Ferroheme–Poly(L-lysine) Complexes at pH 9–12, 89
Yamamoto, H.
—; Hayakawa, T.: Synthesis of Sequential Polypeptides Containing L-β-3,4-Dihydroxyphenyl-α-alanine (DOPA) and L-Lysine, 1137
Yamato, H. See Saito, T., 715
Yang, J. T. See Nakano, M., 805
Yasunaga, T. See Yakabe, Y., 1703
Yathindra, N. See Jayaraman, S., 1207; Malathi, R., 2033

Zhulina, E. B.
—; Gorbunov, A. A.; Birshtein, T. M.; Skvortsov, A. M.: Adsorption of the Polypeptides on a Solid Surface. III. Behavior of Stiff Chains in a Pore, 1021
Zimm, B. H. See Lumpkin, O. J., 2315; Post, C. B., 2123, 2139
Zundel, G. See Kristof, W., 25
Zweifel, B. O. See Denton, J. B., 51

Subject Index to Volume 21

Communications to the Editor and Errata are denoted by the letters C and E, respectively, following the page number

Absorption spectra, of amphotericin aggregates, 459
N-Acetyl glucosamine, conformation of model for asparagine-linked, 1971
Actinomycin D, binding of, to deoxyguanosines, 2473(C)
Actinomycin–deoxyguanosine complex, crystal structure of, 2473(C)
Actinoxanthin, x-ray analysis of, 287
Adamantanecarboxylate, binding to cyclodextrins, 1153
Adenylate kinase, CD spectra of, 547
—, chiroptical calculations for, 547
Adsorption, of cytochrome *c* to mercury surface, 1781
—, of polypeptides, on a solid surface, 1021
Agarose gels, DNA migration as a function of gelation, 1909
—, physical constants derived from microstructure, 1909
—, structure of, studied by electron microscopy, 1909
Aggregation, DNA light-scattering study comparing with collapse, 2139
—, DNA, thermodynamic study comparing with collapse, 2123
Alamethicin, 2461
Albumin, frictional coefficient variation with temperature, 233
Amide A transition, vibrational CD of polypeptides using, 2161
Amide I transition, vibrational CD of polypeptides using, 2161
α-Amino isobutyric acid, structure of diketopiperazines containing, 1847
Amphotericin, aggregation observed by absorption and CD, 459
—, complex with borate, 459
Angles, interatomic and dihedral, from scale on molecular model, 999(C)
Anharmonic effects, in atomic motion in proteins, 1979
Anilinonaphthalene-8-sulfonate, complex of, with phosphorylase kinase and calmoludin, 1411
Antitumor drugs, computer design of, 633
Apomyoglobin fragments, conformation in the presence of hemin, 805
Bacterial catalase, dissociation by sodium *n*-dodecyl sulfate, 1435
Bacteriophage T4D, tail, baseplate dimensions, 797
Base pairs, DNA, fluctuational opening of, 2069
Base stacking, comparison of enthalpies in DNA and RNA, 2185
—, enthalpies for double helix, determined by differential scanning calorimetry, 2185
Base tilt, determined by flow dichroism, 1763
—, in poly(rA) and poly(rC), 1763
Base-tilting forces, calculated, for poly(dG)·poly(dC), 885
Bent-rod macromolecules, electric birefringence of, 1857
—, Kerr constant for, 1857
—, rotational diffusion of, 1857
Bilirubin, polymers of, 601
Binding, cooperative, of *n*-mers to one-dimensional lattices, 979
—, cooperative, of silver ion to poly(A), 1703
Biopolymer–small molecule system, kinetic parameters of, 2399
Birefringence, electric, of bent- and hinged-rod macromolecules, 1857
—, of fibrin film as a function of time and elongation, 1811
Bis-intercalation, theoretical analysis of, 2279
Block copolypeptides, of Ala,Glu,Phe, 131
—, asymmetric α-helix,stability of, 131
Blocked nucleotide probe, for nucleic acid conformational analysis, 2033
Bone, decalcified, piezoelectric, dielectric and elastic constants of, 2055
—, hydrated, piezoelectric, dielectric and elastic constants of, 2055
Borate complexes, of polyhydroxy compounds, 459
Bovine catalase, dissociation by sodium *n*-dodecyl sulfate, 1435
Bovine pancreatic trypsin inhibitor, x-ray solution scattering of, 817
Bovine serum albumin, hard-sphere electrostatic model for, 451
—, light scattering by, 451
t-Butyloxycarbonyl-Leu-Aib-Pro-Val-Aib-methyl ester, molecular structure of, 2461

Calcium complexes, of cyclic peptides, 169
Calmodulin, complex of, with 1-anilinonaphthalene-8-sulfonate, 1411
Carbon monoxide, enthalpic replacement of hemoglobin-bound oxygen, 1735
N-Carboxyanhydride, polymerization of pyrimidine-derivatized Lys and Orn, 2097
N-carboxyanhydride (NCS) polymerization, stereospecificity of, 359
Catalysis, enzyme, nonequilibrium model for cooperativity in, 2241
CD, of adenylate kinase, 547
—, of apomyoglobin fragments complexed with hemin, 805
—, calculated for proteins from x-ray structure, 547
—, microspectrophotometer measuring, 1899
—, of modified nucleosides, 849
—, of poly(*N*-methyl-L-glutamic acid), 471(C)
—, theoretical, of poly(L-α-aminobutyric acid), 703(C)
—, vibrational, of polypeptides using amide A and amide I transitions, 2161
CD spectra, theoretical, of polypeptide β structures, 779
CD studies, of amphotericin aggregates, 459
—, of block copolymers, 131
—, of DNAs with varying G + C contents, 321
—, interaction of lithium with valinomycin and gramicidin-S, 1557
—, of methylene blue–DNA complexes, 1713
—, of poly(α-L-aspartic acid), 1011
—, of poly(I), 147
—, of surfactant binding to β-lactoglobulin B, 895
Cells, intact microspectrophotometer for CD, 1899
Cellulose, broadline nmr of, 1521
Chiral association complexes, as oxidation catalysts, 1093
α-Chitin, electron diffraction microscopy of, 1
—, presence of, in bud scars of *Saccharomyces cerevisiae*, 1
Chloroquine, interaction with DNA of, 331
Chromatin, linear dichroism of, 343
Chromatin fibers, dimensions of, 101
—, electric dichroism of, 101
—, frictional coefficients of, 101
Chymotrypsinogen, ionization constants of, 1667
Circular DNA, melting of, 117
Circular intensity differential scattering (CIDS), microspectrophotometer measuring, 1899
Classical potential function (CPF) calculations, on 3′-AMP and 3′-dAMP, 859
Cloning, fraction of DNA not accessible to, 1793
Collagen, C-terminal peptide, proposed conformation of, 2291
—, C-terminal peptide, proteolytic removal of, 2291
—, C-terminal peptide, role in fibrillogenesis of, 2291
—, hydrogen bonding in, 1695
—, 4-hydroxyproline in, 1489
—, thermal stability of, 1695
—, thermostability of, 1489
—, Type I, fibrillogenesis of, 2291
—, Type I, fibril staining pattern of, 2291
—, Type I, SLS staining pattern of, 2291
—, Type I, tyrosine content of, 2291
Collagen crosslinks, fluorescent-labeled, 79
Collagen,cuticle, semiflexibility of, 715
Collagen fibrils, structural variation in, 935
Collagen model peptides, structural calculations for, 475
Collagen telopeptides, structural changes in, 79
Collapse, DNA, induced by ethanol and Mg^{2+}, 2139
—, DNA, light-scattering study of, 2139
—, DNA thermodynamic comparison to aggregation, 2123
Computer design, of intercalating agents, 633
Computer simulation, of Na^{2+} binding and solvation of B-DNA, 763
—, of protein folding, 565
Condensation, DNA, intra- versus intermolecular, 2123, 2139
—, DNA, light-scattering study of, 2139
—, DNA, thermodynamics of, 2123
Ψ Condensation, theory of, 2413
Conductivity, electrical, in polyelectrolyte complex films, 265
Conformation, aberrant, of g^+g^+ phosphodiester, 1207
—, of apomyoglobin fragments complexed with hemin, 805
—, backbone, of nucleic acids, 1207
—, of block copolymers, 131
—, calculated, of 3′-AMP and 3′-dAMP, 859
—, of the C^α—C^β bond in peptides, 953
—, of model for asparagine-linked *N*-acetylglucosamine, 1971
—, of peptides by Raman spectroscopy, 705(C)
—, of pivaloyl-L-Pro-Aib-*N*-methylamide, 1261
—, of poly(α-L-aspartic acid), 1011
—, of poly(L-Cys) and poly(L-Lys), 25
—, of poly(rU) random coil, 1167
—, of proteins, entropies of, 1333
β-conformation, of poly(L-tyr), 1245
Conformational calculations, on B- and Z-DNA, 1945
—, on pancreatic trypsin inhibitor, 1933
Conformational changes, of cyclic oligosarcosines, 1597
Conformational energy calculations, on dinucleoside triphosphate, 1207

—, for glycopeptides, 535
Conformational energy computations, of collagen peptides, 1535
Conformational studies, of poly(α,β-L-Asp), 2195
—, of tripeptide diastereomers, 705(C)
Conformational transition, DNA, Raman spectra of, 499
Cooperative binding, of *n*-mers to one-dimensional lattices, 979
Cooperative effects, calculated for α-helices, 1749
Cooperativity, in bis-intercalator binding to DNA, 2279
—, nonequilibrium model for, 2241
—, of silver ion–poly(A) binding, 1703
Copolymers, of polyene macrolide and borate, 459
Coulomb interactions, long-range, in poly(dG)·(dC), 885
Counterion binding, to B-DNA, using Monte Carlo simulation, 763
Counterion–polyelectrolyte binding, Fuoss, Katchalsky, and Lifson model for, 159
Counterions, effect on B-DNA, Z-DNA stabilities, 1945
Coupling constants, C^{α}—C^{β} bond, correlated with dihedral angle, 953
—, of cyclopeptides, 2317
^{13}C-Relaxation study, of cyclic hexadepsipeptide antibiotic, 1005(C)
Crystalline polyglycine II, force field of, 2377
Crystal structure, 2461
—, of Aib-containing diketopiperazines, 1847
—, of model for glycopeptide linkage, 1971
—, new molecular models for, 999(C)
^{13}C spin-lattice relaxation time, of *N*-acetyl-L-Pro-D-Ala-*N*-methylamide, 1479
Cu(II)–clupeine interaction, structural models of, 1229
Cu(II)–peptides, CD studies of, 1229
Cyclic hexadepsipeptide antibiotic, ^{13}C- spin lattice relaxation study of, 1005(C)
Cyclic oligosarcosines, containing azobenzene chromophore, 1613
Cyclic peptides, conformations in solution, 169
Cyclo(D-alanyl-L-phenylalanyl), 2317
Cyclo(L-alanyl-L-phenylalanyl), 2317
Cyclodextrins, binding of adamantanecarboxylate and *p*-nitrophenolate, 1153
Cyclodipeptides, 2317
Cysteine–lysine hydrogen bonds, 25
Cytochrome c, adsorption to mercury surface, 1781

Denaturation enthalpy, of collagen, 1587
Deoxydodecanucleoside undecaphosphates, base paired, 2345
Deoxyguanosines, 2473(C)
Depsipeptide antibiotic, ^{13}C- spin-lattice relaxation study of, 1005(C)
Diamine dichloroplatinum (I), *cis* and *trans*, interaction with poly C, 969
Diastereomeric effects, on ^{15}N-nmr shifts, 359
Diastereomeric tripeptides, Raman study of, 705(C)
Dichroism,linear, of poly(rA) and poly(rC), 1763
Dichroism studies, of nucleic acids, 2433
Dielectric constant, effect on B-DNA, Z-DNA stabilities, 1945
—, of hydrated and decalcified bone, 2055
—, of polyelectrolyte complex films, 251
Differential scanning calorimetry, for DNA base stacking enthalpies, 2185
Diffusion, of carbomonoxy hemoglobin A, 2049
—, mutual vs intra-, of hyaluronate, 583
—, of polynucleosomes, 1383
Diffusion coefficient, translational, of bacteriophage T4D tail and baseplate, 797
Diffusion tensor, for segmentally flexible macromolecules, 1049
Dihedral angle, C^{α}—C^{β} bond, correlated with coupling constant, 953
Diketopiperazines, crystal structure of Aib-containing, 1847
Dilatometry, ethidium bromide detected by, 331
—, interaction of chloroquine, quinacrine, 331
—, of pectic acid, 431
Distance geometry, versus energy embedding, 1933
DNA, A-form and B-form, 2433
—, A-form and B-form, spectra of, 2477(C)
—, binding of methylene blue to, 1713
—, binding of MN^{2+} by, 219
—, calf thymus, Raman spectroscopy studies of, 499
—, calf thymus, transition from B to A form, 499
—, circular, melting of, 117
—, compaction of, 2413
—, complex with histone H1 and RNase, 277
—, conformation as followed by CD, 321
—, flow birefringence of, 1315
—, globules, 2413
—, helix-to-coil transition, followed by differential scanning calorimetry, 2185
—, heterogeneous model of, 1189
—, ^{1}H-nmr relaxation enhancement studies, 203
—, hydrodynamic properties of, 1315
—, interaction of drugs with, 331
—, intercalation of dye into, 1189
—, internal viscosity effects of, 1315
—, kinetics of divalent metal ion binding by, 181

—, length-dependence of electrophoretic mobility, 995(C)
—, metal–salt competition in binding to, 203
—, microwave absorption of, 2453
—, modes of Mn^{2+} binding to, 873
—, nmr study of torsion dynamics, 729
—, nucleotide sequences, 1691
—, optical rotatory power of, 2413
—, phage, packaging examined by linear dichroism, 1991, 2011
—, ^{31}P-nmr studies of, 181
—, polyamine binding to, 1301
—, premelting of, 321
—, recombinant, calculated fraction of nonclonable sequences, 1793
—, specific sequence, model for ligand-induced melting of, 1873
—, statistical analysis of, 1691
—, superhelical, cruciform structures in, 679
—, T-7 bacteriophage, flow-birefringence studies of, 923
—, temperature-jump relaxation study of, 1189
—, Z- and B-form, energies and structures compared, 1945
DNA base-pair opening, 2069
DNA binding, of bis-intercalators, 2279
—, positive cooperativity in, 2279
—, sequence specificity in, 2279
DNA binding studies, of fluoroquinacrine, 909
DNA condensation, light-scattering study of, 2139
—, thermodynamics of, 2123
DNA double helix, low-lying collective modes of, 2477(C)
DNA electrophoresis, theory of, 2315(C)
DNA melting, by interferometric depolarized Rayleigh spectra, 1473(C)
DNA–metal binding, studies by ^{25}Mg-nmr, 653
DNA polymer, absorption of microradiation, 1465(C)
—, kinked, bent, folded, 1399
—, normal vibration modes of, 1465(C)
DNA renaturation, length effects on, 665
—, rate in phenol emulsion, 665
—, temperature effects on, 665
DNA replication fork, geometry of, 513
DNA sequences, statistical analysis of, 1687(C)
DNA solutions, infrared, microwave absorption by, 1399
DNA structure studies, in chromatin, by linear dichroism, 343
L-DOPA polypeptides,sequential, synthesis of, 1137
d-pApTpApT, x-ray structure of, 513
Dynamics, molecular, of ferrocytochrome *c*, 1979
Dynamics of proline ring, from ^{13}C spin-lattice relaxation times, 1479

Echinomycin, and analogs, binding to DNA, 2279
Elastic constant, of hydrated and decalcified bone, 2055
Elasticity, of fibrin film, 1811
Electric dichroism, of chromatin fibers, 101
—, of ferriheme–poly(L-lysine) complexes, 89
Electric potential,calculated for α-helical decapeptides, 1749
Electron diffraction microscopy, of crustacean chitin, 1
—, of glucan–chitin complex in yeast cell wall, 1
—, of glucomannan crystals, 301
Electron microscopy, of bacteriophage T4D tail and baseplate, 797
Electrophoresis of DNA, theory of, 2315(C)
Electrophoretic light scattering, polynucleosome diffusion using, 1383
Electrophoretic mobility, of DNA as a function of length, 995(C)
—, of DNA on agarose as a function of gelation, 1909
Electrostatic interactions, of met-hemoglobin, 1081
Endonuclease digestion, single-strand-specific, 679
Energy embedding, calculations on trypsin inhibitor, 1933
Energy minimization, for comparison of B- and Z-DNA, 1945
—, by energy embedding method, 1933
Enthalpy–entropy compensation effects, in biopolymer hydration, 419
Enzymes, nonequilibrium concerted model for, 2241
Enzymic activity, of catalase in the presence of sodium *n*-dodecyl sulfate, 1435
Equilibrium dialysis, of polyamine binding to DNA, 1301
Equilibrium folding pathways, of proteins, 1333
Ethidium bromide, interaction with DNA of, 331
—, phase separation in DNA, induced by, 729
—, as a probe for phage λ DNA, 2011
Exiton, in methylene blue–DNA complex, 1713
Extinction angles, internal viscosity in DNA from, 1315

Ferriheme, electric dichroism of, 89
—, poly(L-lysine) complexes with, 89
Ferriprotoporphyrin IX, transfer reaction of, 2399
Ferrocytochrome *c*, molecular dynamics of, 1979
Fibrillogenesis, of collagen *in vitro*, 2291
—, role of telopeptides in, 2291
Fibrin, birefringence of film, 1811

—, elasticity of film, 1811
—, kinetics of oligomer formation, 2253, 2265
—, mechanism of elasticity, 1811
—, size distribution of ligated oligomers, 2265
—, small-angle x-ray scattering of film, 1833
—, stable oligomers of, 2253
—, stress relaxation of film, 1811
Fibrinogen, fibrinopeptide A release from, 2253
—, kinetics of conversion to fibrin oligomers, 2265
—, kinetics of fibrin formation from, theory, 2253
—, transition to fibrin, studied by light scattering correlated with FPA release, 2205
Fibrinopeptide A, kinetics of, 2253
—, kinetics of release from fibrinogen, 2265
—, release from fibrinogen, 2253
—, release of light-scattering experiments correlated with, 2205
Fibrin polymerization, studied by fibrinopeptide A release, 2205
—, studied by light scattering, 2205
Flexibility, pullulan chain, studies of, 1623
Flory–Huggins theory, applied to DNA aggregation and collapse, 2123
Flow birefringence, molecular weight dependence of DNA, 1315
—, of T7 phage DNA, 923
Fluorescence, of fluoroquinacrine–nucleic acid complexes, 909
—, labeling, of collagen, 79
Fluoroquinacrine, ^{19}F-nmr studies with nucleic acids, 909
Fluoroquinacrine–nucleic acid complexes ^{19}F-nmr of, 909
Folding dynamics, of proteins, 1275
Folding pathways, of proteins, 1275
Folding/unfolding transitions in proteins, 565
Force constants, calculated, for long-range DNA motions, 885
Frictional coefficients, of chromatin fibers, 101
—, of lipoprotein, albumin, and polystyrene, 233
Furanose sugar puckering and twist, coupling between, 2345

Gallstones, pigment, 601
Gel electrophoresis of DNA, theory of, 2315(C)
Gene libraries, fraction of DNA incorporable into, 1793
Glucagon, ir and Raman spectra of, 711(C)
—, lipid-induced conformation changes in, 1217
—, normal vibrations of, 711(C)
Glucomannan, crystallization behavior of, 301
L-Glutamine, random copolymers with hydroxypropyl glutamine or hydroxybutyl glutamine, 51
Glycol chitosan, polyelectrolyte complexes of, 265
—, polysaccharide complexes with, 251
Glycopeptide linkage, conformation of model for, 1971
—, crystal structure of model for, 1971
Glycoprotein models, conformational energy calculations for, 535

Hairpin loops, probability of occurrence in RNA, 2329
Hairpin structures, in DNA, stabilization of, 679
Haldane's first law, reexamination of, 1735
Hard-sphere model, of scattering, by bovine serum albumin, 451
3_{10} Helical decapeptide, aggregation in organic solvents of, 1427
α-Helices, cooperative effects calculated for, 1749
Helicity, hemin-induced, of apomyoglobin fragments, 805
Helix, right-handed, proposed for poly(*N*-methyl-L-glutamic acid), 471(C)
α-Helix, asymmetric stability of, 131
—, poly(Asp), effect of β linkages on, 2195
Helix–coil transition, algorithm for ligand-induced, 1873
—, of block copolymers, 131
—, of DNA, 2069
—, of poly(L-glutamate), 1927(C)
—, of poly(α,L-glutamic acid) in the adsorbed state, 1451
—, of random copolymers containing L-glutamine, 51
Helix formation in peptide hormones, induced by lipid, 1217
Helix repeats, 2345
Helix-to-coil transitions, DNA, followed by differential scanning calorimetry, 2185
—, of nucleic acid–fluoroquinacrine complexes, 909
Hemin, complexed with apomyoglobin fragments, 805
Hemoglobin, diffusion of, studied by PFG nmr, 2049
Hemoglobin A_0, replacement of carbon monoxide by oxygen ligand in, 1735
Histone H1, complex with DNA, RNase, 277
^{1}H-nmr studies, $J_{\alpha\beta}$ coupling in peptides, 953
—, of cyclic peptide/calcium complexes, 169
—, of DNA with relaxation enhancement, 203
—, of POE-bound oligomethionines, 2225
—, of poly U and poly C, 383
—, of suzukacillin decapeptide, 1427
Homooligopeptides, structure by ^{1}H-nmr studies, 2225
Human serum albumin, 2399
Hyaluronate, diffusion of, 583
—, fluorescein-labelled, 583

Hydration of biopolymers, model for, 403
—, thermodynamic characteristics of, 419
—, thermodynamics of, 403
Hydrodynamic properties, of DNA, salt dependence of, 923
—, of segmentally flexible bodies, of myosin, 1049
Hydrodynamics, of bacteriophage T4D tail and baseplate, 797
Hydrogen bonding, of ammonium ion to poly(I), 147
—, of imino acids in collagen, 1695
Hydrogen bonds, between cysteine and lysine, 25
Hydrophobic effect, on the binding of adamantanecarboxylate to β-cyclodextrin, 1153
Hydrophobic interactions, of met-hemoglobin, 1081
Hydroxyproline, in collagen, role in thermostability of, 1489
—, H-bonding of in collagen, 1695
—, role in stabilization of collagen, 1587
—, structural role of, 475
Hysteresis, absence of, in sorption–desorption cycles, 403

Interactions, long-range, specific vs nonspecific, 611
Intercalating agents, chromophoric, computer design of, 633
Intercalation, of drugs into DNA, 331
—, of methylene blue in DNA, 1713
Intercalators, double, theoretical analysis of, 2279
Interferometric depolarized light-scattering study, of thermal denaturation of DNA, 1473(C)
Intramolecular reactions, on oligosarcosines, 1597
Ion-binding, relation to structure breaking of peptides, 1557
Ionization, of poly(Asp) as function of β linkages, 2195
Ionization constants, of chymotrypsinogen, 1667
—, of tyrosyl groups, 1657
Ionophoric peptides, structures of calcium complexes, 169
IR, far, absorption of 5′CMP, 1569
—, far, absorption of 5′IMP, 1569
—, far, absorption of poly(I)·poly(C) RNA, 1569
IR study, of cysteine–lysine hydrogen bonds, 25
Iron(III) chelate ions anchored to polypeptides, 1093

Jacobson–Stockmayer theory, for probability of loop occurrence in RNA, 2329

Kerr constant, of bent- and hinged-rod macromolecules, 1857
Kinetics, of fibrinogen activation, 2253
—, of fibrin oligomer formation, 2265
—, of fibrin oligomer formation, theory, 2253
—, of silver ion–poly(A) binding, 1703

β-Lactoglobulin, CD study of surfactant binding, 895
Laser light-scattering, of polysaccharide protein conjugate, 1503
—, of polysaccharide vaccine, 1503
Latex, temperature dependence of, 233
Lattice, one-dimensional, *n*-mer binding to, 979
Lattice model, of globular proteins, 565
Ligands, model for DNA melting induced by, 1873
Ligation, effect on birefringence of fibrin film, 1811
—, effect on stress relaxation of fibrin film, 1811
—, fibrin, effect on small-angle x-ray scattering of fibrin film, 1833
—, of fibrin oligomers, 2265
Light scattering, by biopolymers, 1383
—, of bovine serum albumin, 451
—, correlated with fibrinopeptide A release during fibrin polymerization, 2205
—, hard-sphere model for, 451
—, studies of, 1623
—, study of DNA collapse by, 2139
Linear dichroism, of capsid DNA phages, 1991, 2011
—, of chromatin at different salt concentrations, 343
Linking number, of circular DNA, 117
Long chain polymer, absorption of radiation by, 1399
—, of DNA, 1399
—, Green function propagator for, 1399
—, propagation of vibrations in, 1399
—, solvent viscosity effects on, 1399
Loops, model for 3-dimensional spatial distribution in RNA, 2329
Low-density lipoproteins, frictional coefficient variation with temperature, 233
Low-frequency modes, in Raman spectra proteins, 1469(C)
Lysine–cysteine hydrogen bonds, 25
L-Lysine polypeptides,sequential, synthesis of, 1137
Lysozyme, neutron time-of-flight spectroscopy of, 43
—, x-ray solution scattering of, 817
Lysozyme vibrations, low frequency of, 43

Macromolecules, segmentally flexible, diffusion of, 1049

β-Maltose, effect of solvent on conformational equilibria, 1887
β-Maltose conformers, calculated optical activity and vicinal coupling for, 1887
Manning polyelectrolyte theory, comparison with experiment, 219
Matrix method, modeling *n*-mer binding to lattices, 979
McGhee–Vontippel model, extension to bis-intercalations, 2279
Melting, DNA, model for ligand-induced, 1873
Membrane properties, correlation with adsorbed polymer structure, 1451
Metal ion–DNA binding, studies by ^{25}Mg-nmr, 653
Metal ions, divalent, binding to DNA, 203
—, divalent, binding to DNA of, 181
—, divalent, extent of binding to DNA, 219
—, modes of binding to DNA, 873
Met-hemoglobin, thermal denaturation of, 1081
Methionine, ^{1}H-nmr studies of oligomers of, 2225
5-Methyl cytosine, effect on B-DNA, Z-DNA stabilities, 1945
Methylene blue, mode of binding to DNA, 1713
Methylene blue–DNA complexes, LD and CD studies of, 1713
^{25}Mg-nmr, line shape anomalies in DNA solution, 653
—, relaxation study of Mg^{2+}–DNA binding modes, 653
Microcalorimetry, interaction of chloroquine and quinacrine with DNA, detected by, 331
—, of pectic acid, 431
Microcalorimetry studies, catalase, sodium *n*-dodecyl sulfate interaction, 1435
Microdomain dynamics, in folding proteins, 1275
Microspectrophotometer, for CD of microscopic structures, 1899
Minimization of molecular energy, by energy embedding method, 1933
Minimum energy, model, of poly(rU), 1167
Mn^{2+}, specificity to AT/GC base pairs, 873
Mn^{2+}–DNA interaction, 873
Model peptides, for collagen, 1535
Models, molecular, α-carbons color-coded for amino acids, 999(C)
Molecular dynamics, of ferrocytochrome *c*, 1979
Molecular mechanics calculations, 2345
—, using model-built Arnott B-DNA geometry, 2345
Molecular weight, by improved sedimentation equilibrium method, 17
3′-Mononucleotides, calculated conformations of, 859
Monte Carlo method, for prediction of protein folding, 611
Monte Carlo simulation, of conformations of cyclic oligosarcosines, 1613
—, of solvent and Na^{+} binding to B-DNA, 763
Myosin, hydrodynamic modeling of, 1049
—, rotational diffusion coefficients of, 1049

Neighbor-exclusion model (NEM), in binding of *n*-mers to lattices, 979
Network polymers, in pigment gallstones, 601
Neutron time-of-flight spectroscopy, of lysozyme, 43
Nitration, of proteins, 1657
NMR, broadline proton, of cellulose, 1521
—, broadline proton, of pectin, 1521
—, broadline proton, on plant cell walls, 1521
—, of model for glycopeptide linkage, 1971
—, pulsed field gradient, 2049
NMR studies, interaction of lithium with valinomycin and gramicidin-S, 1557
^{15}N-nmr, sequence analysis, 359
^{15}N-nmr spectroscopy, of poly(D,L-leucines), 1635
^{15}N-nmr tacticity analysis, of poly(D,L-glutamates), 1635
Normal modes, of starch–iodine complex, 2083
Nucleic acids, dynamic structure of, 1189
—, linear dichroism studies of, 2433
—, nucleotide sequences of, 1691
—, statistical analysis of, 1691
Nucleopeptides, synthesis and structure of novel, 2097
Nucleosides, modified, CD of, 849
Nucleotide sequences, statistical analysis of, 1687(C)

Object function, optimized to predict protein folding, 611
Oligonucleotides, assignment of ^{31}P resonances, 697(C)
Oligopeptides, POE-bound, structure by ^{1}H-nmr, 2225
Oligosarcosines, azobenzene-containing, 1613
—, conformation of, 1613
—, cyclization of, 1613
—, photoisomerization of, azobenzene-containing, 1597
—, synthesis of azobenzene-containing, 1597

Packaging, of phage λ DNA, 2011
—, of phage T4B DNA, 1991
Partition coefficient for CO/O_2 mixtures binding to hemoglobin, 1735
Pathways, equilibrium, protein folding of, 1333

Pectic acid, conformational transition of, 431
Pectin, 431
—, broadline nmr of, 1521
Pentapeptides, 2461
Peptide aggregation, ^{1}H-nmr studies of, 1427
β-Peptide bonds, effect on conformation of poly(Asp), 2195
Peptides, aromatic residues in, 2483(C)
—, ^{1}H-nmr spectra of, 2483(C)
—, interaction with Cu(II), 1229
—, mimicking clupeine N-terminals, 1229
—, proline-containing, β-turns in, 1107
—, vibrational analysis of, 2377
Permeability of fibrin networks, effect of crosslinking, 1037
—, effect of nonuniform fiber diameter, 1037
Persistence length, of cuticle collagen, 715
—, in DNA, salt dependence of, 923
Phage, capsid DNA, effect of deletions and intercalators, 2011
—, capsid DNA, fast and slow T4B, 1991
Phenol Emulsion Reassociation Technique (PERT), 665
Phosphorylase kinase, complex of with 1-anilinonaphthalene-8-sulfonate, 1411
Photoisomerization, of azobenzene-containing ring systems, 1597, 1613
Photon correlation spectroscopy, of polysaccharide protein conjugate, 1503
—, of polysaccharide vaccine, 1503
Piezoelectric constant, of hydrated and decalcified bone, 2055
2,5-Piperazinedione rings, conformation of, 2317
Pivaloyl-L-Pro-Aib-*N*-methylamide, conformation of, 1261
—, β-turn conformation of, 1261
—, x-ray studies of, 1261
Plot, distance, for analysis of yeast tRNA^{Phe} conformation, 2033
^{31}P-nmr, of oligonucleotides, assignment method for, 697(C)
^{31}P-nmr relaxation of DNA, 729
^{31}P-nmr studies, of DNA binding to divalent metal ions, 181
Poisson-Boltzmann polyelectrolyte theory, comparison with experiment, 219
Polarizability, of cysteine–lysine hydrogen bonds, 25
Polarography, differential pulse, of cytochrome *c*, 1781
Poly(A), kinetics and cooperativity of Ag^+ binding, 1703
Polyalanine, *ab initio* study of helix cooperativity, 1749
Polyamine, binding to DNA, 1301
Poly(L-Ala) β structures, theoretical uv and CD spectra, 779
Poly-(D,L-amino acids), ^{15}N characterization of, 359
—, synthesis by NCA method, 359
Poly-α-amino acids, *N*-substituted, 471(C)
Poly(L-α-aminobutyric acid), theoretical CD spectra, 703(C)
Poly(L-α-aminobutyric acid) β structures, theoretical uv and CD spectra, 779
Poly(α,β-L-Asp), conformational study of, 2195
Poly(α-L-aspartic acid), CD studies of, 1011
—, conformation of, 1011
—, ir studies of, 1011
—, potentiometric titration of, 1011
Poly C, effects on secondary structure by platinum compounds, 969
—, Raman spectroscopy studies of, 969
Poly(dA-dT), complex with histone H1,RNase, 277
—, proposed structure of, 513
—, tetranucleotide model for, 513
Poly(dA)-poly(dT), breathing of, 1189
Poly(dG)-poly(dC), calculated force constants for large-scale motions, 885
Polydispersion, in diameter of fibrin fibers, 1037
Polyelectrolytes, polysaccharide complex formation with, 251, 265
Polyelectrolyte theory, counterion condensation around a line charge, 159
—, δ-function model for, 159
—, Fuoss, Katchalsky, and Lifson model, 159
Polyene macrolide antibiotics, copolymers with borate, 459
Poly(ethylene oxide) solution, dilute, 2413
Poly-α-D-galacturonic acid, 431
Poly(L-glutamate), salt effect on helix–coil transition of, 1927(C)
Poly(α,L-glutamic acid), absorbed at a solid interface, 1451
Poly(L-glutamine), helix stability of, 51
Polyglycine, *ab initio* study of helix cooperativity, 1749
Poly(Gly-Pro-Hyp), as collagen model, 475
Poly(Gly-Pro-Pro), as collagen model, 475
Poly(Gly) β-structures, theoretical uv and CD spectra, 779
Poly(I), complex, with ammonium ion, 147
—, stereospecific binding to, 147
Poly(I)-poly(C) RNA, far-ir absorption of, 1569
Poly(Lys), random coil to α-helix transition, 833
—, spin-label studies of, 833
Poly(L-lysine), complexed with ferriheme, 89
—, with pendant pyrimidine bases, 2097
Polymer collapse, light-scattering study of, in DNA, 2139
Polymerization, of fibrin, 2253
—, of D,L-leucine *N*-carboxyanhydride, solvent dependence, of stereospecificity, 1635
—, of lysine and ornithine with pendant pyridine bases, 2097

—, of mixture of monofunctional and difunctional units, 2253
—, of γ-OMe-D,L-glutamic acid *N*-carboxyanhydride, soluent dependence of stereospecific, 1635
Polymers, network, of bilirubin, 601
Poly(*N*-methyl-L-glutamic acid), helical structure of, 471(C)
—, synthesis of, 471(C)
Polynucleosome diffusion, quasielastic light-scattering studies of, 1365
Poly(L-ornithine), with pendant pyrimidine bases, 2097
Polyoxyethylene, as vehicle for oligopeptide nmr, 2225
Polypeptides, adsorption on a solid surface, 1021
—, homo-, vibrational CD of, 2161
—, vibrational analysis of, 2377
Polyriboadenylic acid, dichroism studies, 1763
Polyribocytidylic acid, dichroism studies of, 1763
—, ^{1}H-nmr and relaxation studies of, 383
Poly ribo(uridylic) acid, ^{1}H-nmr and relaxation studies of, 383
Poly(rU), a random coil model, 1167
Polysaccharide chain, flexibility imparted by 1,6 linkages in, 1623
Polysaccharides, ionic, 431
—, polyelectrolyte complex formation with, 251, 265
Poly(tripeptide)s, conformational energy computations of, 1535
Poly(L-Tyr), β conformation of, 1245
Poly(L-Val) β structures, theoretical uv and CD spectra, 779
Potentiometric and thermal titrations, of chymotrypsinogen and its derivatives, 1667
Pristinamycin I_A, ^{13}C- spin lattice relaxation study of, 1005(C)
Proline, in collagen, role in thermostability of, 1489
—, role in collagen structure, 1695
—, role in stabilization of collagen, 1587
Proline-containing β turns, 1107
Proline ring conformation, using bistable jump model, 1479
Protein folding, accelerated by short-range interactions, 565
—, activated states of, 1333
—, by distance-constraint approach, 611
—, calculations, on pancreatic trypsin inhibitor, 1933
—, computer simulation of, 565
—, time correlation functions for, 565
—, two-dimensional model for, 611
Proteins, proline-containing, β-turns in, 1107
—, vibrational analysis of, 2377
Proton transfer, in side-chain hydrogen bonds, 25
Puckering in proline ring systems, using ^{13}C–T_1 measurements, 1479
Pullulan, chain flexibility of, in aqueous solution, 1623
—, gel permeation chromatography of, 1623
—, light-scattering studies of, 1623
—, viscometry of, 1623
Pulsed field gradient nmr, of hemoglobin, 2049
Pyrene butyrylhydrazine, for fluorescent labeling of collagen, 79
Pyrene excimer fluorescence, pH-induced changes of, in collagen, 79
Pyrimidine bases, derivatized to Lys and Orn, 2097
—, synthesis from *N*-(methoxyarcyloxyl) ureas or thioureas, 2097

Quasielastic light scattering, of polynucleosomes, 1365
Quinacrine, interaction with DNA of, 331

Raman spectra, of proteins, 1469(C)
Raman spectroscopy, 2477(C)
—, of poly(dA-dT), 277
Raman spectroscopy studies, of changes during B-to-A-DNA transition, 499
—, of poly C treated with diammine dichloroplatinum (I), 969
Raman study, of diastereomeric analyl tripeptides, 705(C)
Random coil to α-helix transition, of spin-labeled poly(Lys), 833
Recombinant DNA, calculated fraction of nonclonable sequences, 1793
Relaxation, rotational, of DNA, 729
Relaxation enhancement studies, of DNA, 203
Relaxing enzymes, for circular DNA, 117
Renaturation, of DNA, rate in phenol emulsion, 665
Reptation, of DNA in gel electrophoresis, 995(C)
Ring-closure probability, of oligosarcosines, 1613
RNA, model for 3-dimensional spatial distribution of loops in, 2329
RNase, pancreatic, complex with DNA, 277
Rotational diffusion, of bent-rod macromolecules, 1857
—, of myosin, 1049
—, of segmentally flexible bodies, 1049

Saccharides, solvent effects on conformation of, 1887
Salt dependence, of hydrodynamic interactions in DNA, 923
Salt effects, on asymmetric stability of α-helix, 131
—, on helix–coil transition of poly(L-glutamate), 1927(C)

—, on linear dichroism of chromatin, 343
Scatchard formula, for *n*-mer binding to lattices, 979
Scattering, macromolecular solution, prediction and measurement of, 817
Secretion, lipid-induced conformational changes in, 1217
Sedimentation equilibrium, composition density distribution in, 1127
—, pressure effects on, 1127
—, reduction in time of, 17
Segmentally flexible macromolecules, models for, 1049
Self-assembly, kinetics for fibrin oligomers, 2253, 2265
Semiflexibility, of cuticle collagen, 715
Sequence-generating functions, models for DNA bis-intercalation, 2279
Sequential polypeptides, containing L-DOPA, 1137
—, containing L-lysine, 1137
Shearing forces, calculated, for poly(dG)·poly(dC), 885
Silver ion, binding to poly(A), 1703
Solvent perturbation difference spectroscopy, in poly(L-tyr), 1245
Solvent structure, in computer simulation of B-DNA, 763
Sorption–desorption studies, of biopolymer hydration, 403
Spectral titration, of proteins, 1657
Sperm whale apomyoglobin, 2399
Spin-label studies, of poly(Lys), 833
Spin–spin coupling, long-range, 2483(C)
Stability, thermal of collagen, 1695
Starch–iodine complex, normal coordinate calculations, 2083
—, structure of, 2083
Stereoselective oxidation, of ascorbic acid, 1093
Stereospecific binding to polynucleotides, 147
Stereospecific catalysts, for redox reactions, 1093
Stereospecificity, of NCA polymerization, 359
Steric hindrance, in binding of *n*-mers to lattices, 979
Stokes–Einstein relation, applied to hemoglobin, 2049
Stress relaxation, of fibrin film, 1811
Structures,protein, new molecular models for, 999(C)
Sugar pucker, correlated to Φ' in nucleotides, 859
Supercoiled DNA, cruciform structures in, 679
—, head-to-head repeats in, 679
Surfactant binding, to β-lactoglobulin B by CD, 895
Suzukacillin, 2461
—, aggregation of decapeptide fragment, 1427
Swelling, equilibrium, of pigment gallstones, 601
Tacticity, of stereocopolypeptides, 359
Telopeptides, proteolytic removal of, 2291
—, role in fibrillogenesis of, 2291
Temperature dependence, of macromolecular frictional coefficients, 233
Tendon, collagen fibril structure variation, 935
Tertiary interactions, in proteins, 1333
Tetrapyrroles, polymers of, 601
Thermodynamics, of biopolymer hydration, 403
—, of cyclodextrin inclusion complex formation, 1153
—, of hydration, vapor pressure studies of, 419
Three-dimensional distributions, of polymer ends, 1613
Time correlation functions, for protein folding, 565
Torsional rigidity, calculated, for poly(dG)·poly(dC), 885
Transfer reactions, 2399
Tripeptides with Pro-Gly sequence, 1107
Triple-stranded polypeptides, conformational energy computations of, 1535
tRNA, yeast, conformational analysis by blocked nucleotide scheme, 2033
$tRNA^{Phe}$, yeast, short, medium and long range interactions in, 2033
—, yeast, symmetry in tertiary structure, 2033
Trypsin inhibitor, equilibrium folding of, 1333
—, pancreatic, conformational calculations, 1933
β-turn conformation, of pivaloyl-L-Pro-Aib-*N*-methylamide, 1261
β-turn regions as glycosylation sites, 535
β-turns, proline-containing, in peptides and proteins, 1107
Two-dimensional protein folding, 611
Tyrosine, titration of, in proteins, 1657

Ultracentrifugation, analytical data simulation by finite element method, 17
—, analytical, density distributions in, 1127
—, of catalase, sodium *n*-dodecyl sulfate complexes, 1435
—, pressure effects in, 1127
Ultrafiltration, differential, of amphotericin aggregates, 459
Unfolding, of cytochrome *c* at mercury interface, 1781
UV spectra, theoretical, of polypeptide β structures, 779

Valence force field, for starch–iodine complex, 2083
Valinomycin–lithium complex, CD and studies of, 1557
Vapor pressure measurements, biopolymer hydration studied by, 403

Vasoactive intestinal peptide, lipid-induced conformational changes in, 1217
Vibrational CD, of polypeptides using amide A and amide I transitions, 2161
Vibrational modes, of glucagon, 711(C)
Vibrations, low-frequency, of lysozyme, 43
Virtual bonds, intercalated nucleic acid dimer studied using, 2033
—, yeast $tRNA^{Phe}$ conformation analysis by, 2033

Water absorption, by poly(I)·poly(C) RNA, 1569

X-ray diffraction, of collagen fibrils, 935
—, of d-pApTpApT, 513
—, of ferrocytochrome *c*, 1979
X-ray scattering, small-angle, of fibrin film, 1833
X-ray solution scattering, of macromolecules, prediction and measurement of, 817
X-ray structure, of actinoxanthin, 287
X-ray studies, of pivaloyl-L-Pro-Aib-*N*-methylamide, 1261

Yeast cell wall, glucan–chitin complex in, 1
Young's modulus, calculated, for poly(dG)·poly(dC), 885

Z-DNA, molecular-mechanical studies of, 1945
Zimm-Bragg parameters, for L-glutamine, using host–guest technique, 51

Information for Contributors

1. Manuscripts (original and two copies) for publication that have not been published elsewhere should be submitted to one of the members of the Editorial Board *or* to the Editorial Office, c/o M. Goodman, Department of Chemistry, B-014, University of California, San Diego, La Jolla, California 92093. Original figures should be included. Address all other correspondence to the publishers, Periodicals Division, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.
2. The Editors desire to receive manuscripts based on original research in the field of biopolymers (proteins, nucleic acids, and polysaccharides), low molecular weight molecules which are relevant to the study of biopolymers (including model systems, monomers, oligomers, and molecules which interact with biopolymers), and molecular dynamics and bioassemblies. The Editors will also consider for publication *Research Communications*, which should be brief, timely and of sufficient interest or urgency to warrant rapid publication. Such publication will not be a bar to publication of a fuller account of the work at a later date.
3. It is the preference of the Editors that papers be published in the English language. However, if the author desires that his paper be published in French or German, it is necessary that a particularly complete and comprehensive synopsis be furnished.
4. Manuscripts should be submitted in triplicate (one *original*, two copies), typed *double* space throughout, with margins of 2.5 cm on both sides.
5. A short synopsis of the main contributions in the paper is required. A summary of the whole paper, not the conclusions alone, should form the synopsis.
6. The paper should be reasonably subdivided into sections and, if necessary, subsections. Please refer to any issue of this Journal for examples.
7. The references should be numbered consecutively in the order of their appearance and should be complete, including final page numbers and authors' initials, and—for unpublished lectures or symposia—the title of the paper, the date, and the name of the sponsoring society. Please compile references on a separate sheet at the end of the manuscript.
8. Please do not use footnotes to the text.
9. Please supply numbers and titles for all tables. All table columns should have an explanatory heading.
10. It is particularly important that all figures be submitted in a form suitable for reproduction. Good glossy photographs are required for halftone reproductions. For line drawings (graphs, etc.), the figures must be drawn clearly with India Ink. The lettering of graphs must be large, clear, and "open" so that letters and numbers do not fill in when reduced for publication. It is the usual practice to submit drawings that are twice the size of the final engravings; the maximum final size of figures for this journal is $4\frac{1}{2} \times 7\frac{1}{2}$ inches.

    It is the author's responsibility to obtain written permission to reproduce material which has appeared in another publication.
11. Please supply legends for all figures and compile these on a separate sheet.
12. Authors are cautioned to type—wherever possible—all mathematical and chemical symbols, equations, and formulas. If these must be hand-written, please write clearly and leave ample space above and below for printer's marks; please use only ink. All Greek or unusual symbols should be identified in the margin the first time they are used. Please distinguish in the margins of the manuscript between capital and small letters of the alphabet wherever confusion may arise (e.g., k, K, κ). Please underline with a wavy line all vector quantities. Use fractional exponents to avoid root signs.

Biopolymers, Vol. 21, 2509–2510 (1982)

13. The recommendations of the IUPAC-IUB Commission on Biochemical Nomenclature should be followed for the abbreviations of natural and synthetic amino acid derivatives, peptides, polypeptides, nucleic acids, and polynucleotides. A third edition, entitled *Biochemical Nomenclature and Related Documents*, of a compilation of all the published tentative rules and recommendations published through 1977 is available from The Biochemical Society. The cost of this paperbound 3rd edition (1978, 223 pp.) is $7; it may be ordered from Biochemical Society Book Depot, P.O. Box 32, Commerce Way, Colchester, Essex, England, CO2 8HP.
14. A list of phrases for indexing should be included with the manuscript on submission. These entries should be specific and cross-referenced. Sample entries are as follows:

Amino acid analysis,
    detection of lysinonorleucine by
Circular dichroism studies,
    of poly(L-Glu) containing azo groups
Lysinonorleucine, potential of, in cross-linking
Poly(L-Glu),
    containing azo chromophores

See Issue 12 of any recent volume of *Biopolymers* for additional examples. The index list should be typed on a separate sheet (different from the title page) and should have the title of the manuscript and the name(s) of the author(s) typed at the top of the page.
15. Under the provisions of a new U.S. copyright law, effective January 1978, the transfer of copyright from author to publisher, heretofore implicit in the submission of a manuscript, must now be explicitly transferred to enable the publisher to assure maximum dissemination of the author's work. A copy of the transfer agreement to be used for *Biopolymers* is printed in Issue 1 of this volume. Additional copies are available from the Editor or authors may photocopy the agreement from the journal. *A copy of that agreement, executed and signed by the author, is now required with each manuscript submission.* (If the article is a "work made for hire" the agreement must be signed by the employer.)

Manuscripts and illustrations not conforming to the style of the Journal will be returned to the author for reworking, thus delaying their appearance.

BIOPOLYMERS

Original Research on Biomolecules and Biomolecular Assemblies

Volume 21 • 1982

EDITOR

Murray Goodman, *University of California, San Diego, La Jolla, California 92093*

EDITORIAL BOARD

Victor Bloomfield, *Department of Biochemistry, University of Minnesota, St. Paul, Minnesota 55108*

Elkan Blout, *Harvard Medical School, Boston, Massachusetts 02115*

Charles R. Cantor, *Department of Chemistry, Columbia University, New York, New York 10027*

Elliot L. Elson, *Department of Biological Chemistry, Washington University, St. Louis, Missouri 63110*

Ephraim (Katchalski) Katzir, *The Weizmann Institute of Science, Rehovot, Israel*

David R. Kearns, *Department of Chemistry, University of California, San Diego, La Jolla, California 92093*

John Schellman, *Department of Chemistry, University of Oregon, Eugene, Oregon 97403*

ADVISORY BOARD

E. M. Bradbury	S. Krimm	G. N. Ramachandran	I. Tinoco
J. S. Cohen	C. H. Li	S. Sakakibara	P. Ts'o
D. Crothers	W. L. Mattice	H. A. Scheraga	A. Veis
G. Fasman	T. Miyazawa	P. R. Schimmel	G. Weill
G. Felsenfeld	W. Olson	I. C. P. Smith	R. W. Woody
I. L. Karle	Y. A. Ovchinnikov	I. Z. Steinberg	K. Wüthrich
M. Karplus	E. Peggion	A. Stone	B. H. Zimm

Joan Mosher, *Editorial Assistant*

an Interscience® Publication
published by JOHN WILEY & SONS

© 1982 by John Wiley & Sons, Inc.

Biopolymers (ISSN: 0006-3525) is published monthly (covering one volume per year) by John Wiley & Sons, Inc. Copyright © 1982 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful. Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1983): $365.00 per volume. Postage and handling outside U.S.A.: $36.00 by surface; $174.00 by air. Please allow four weeks for changes of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher. **Postmaster:** Send address changes to Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Claims for undelivered copies must be made no later than three months following the month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

The contents of this journal are indexed in the following: *Applied Mechanics Reviews*, *Biological Abstracts*, *Chemical Abstracts*, *Chemical Titles*, *Current Contents/Life Sciences*, *Current Contents/Engineering Technology and Applied Sciences*, *Excerpta Medica*, *Index Medicus*, and *Science Citation Index*.

Biopolymers

Contents

Vol. 21, Issue Nos. 1–12, 1982

ISSUE NO. 1, JANUARY

The Glucan–Chitin Complex in *Saccharomyces cerevisiae*. IV. The Electron Diffraction of Crustacean and Yeast Cell Wall Chitin
A. Gemperle, Z. Holan, and V. Pokorný 1

Reduced Sedimentation Equilibrium Time by Two-Step Initial Loading
G. P. Todd and R. H. Haschemeyer 17

Proton Transfer and Polarizability of Hydrogen Bonds Formed Between Cysteine and Lysine Residues
W. Kristof and G. Zundel 25

Intramolecular Low-Frequency Vibrations in Lysozyme by Neutron Time-of-Flight Spectroscopy
H. D. Bartunik, P. Jollès, J. Berthou, and A. J. Dianoux 43

Helix–Coil Stability Constants for the Naturally Occurring Amino Acids in Water. XXI. Glutamine Parameters from Random Poly(hydroxypropylglutamine-co-L-glutamine) and Poly (hydroxybutylglutamine-co-L-glutamine)
J. B. Denton, S. P. Powers, B. O. Zweifel, and H. A. Scheraga 51

Fluorescent-Labeled Crosslinks in Collagen: Pyrenebutyrylhydrazine
N. Shambaugh and E. Fujimori 79

Electric Dichroism Studies on Ferriheme- and Ferroheme–Poly(L-lysine) Complexes at pH 9–12
A. Yamagishi and F. Watanabe 89

Influence of Ionic Strength on the Dichroism Properties of Polynucleosomal Fibers
K. S. Lee and D. M. Crothers 101

Melting Experiment Concerning the Topological Structure of Closed Circular Double-Stranded DNA
P. U. Giacomoni 117

Effects of Salts on the Nonequivalent Stability of the α-Helices of Isomeric Block Copolypeptides
S. Ihara, T. Ooi, and S. Takahashi 131

A Stereospecific Complex of Poly(I) with Ammonium Ion
F. B. Howard and H. T. Miles 147

The δ-Function Counterion Condensate Around a Line Charge Derived from the Fuoss, Katchalsky, and Lifson Polyelectrolyte Theory
M. A. Lampert 159

Conformations of Cyclic Peptide/Calcium Complexes in Solution
D. W. Hughes and C. M. Deber 169

Interactions of DNA with Divalent Metal Ions. I. ^{31}P-NMR Studies
J. Granot, J. Feigon, and D. R. Kearns 181

Interactions of DNA with Divalent Metal Ions. II. Proton Relaxation Enhancement Studies
J. Granot and D. R. Kearns 203

Interactions of DNA with Divalent Metal Ions. III. Extent of Metal Binding: Experiment and Theory
J. Granot and D. R. Kearns 219

Anomalous Temperature Dependence of Frictional Coefficients: Diffusion and Sedimentation Measurement of Low-Density Lipoproteins, Albumin, and Polystyrene Latex
J. M. Crossley, S. P. Spraggs, J. M. Creeth, N. Noble, and J. Slack 233

Information for Contributors 249

ISSUE NO. 2, FEBRUARY

Polyelectrolyte Complexes of Glycol Chitosan with Some Polysaccharides. I. Mixing Ratio and Dielectric Properties
R. Srinivasan and R. Kamalam 251

Polyelectrolyte Complexes of Glycol Chitosan with Some Polysaccharides. II. Electrical Conductivity
R. Srinivasan and R. Kamalam 265

Poly(dA-dT) Complexes with Histone H1 and Pancreatic Ribonuclease: Specific Base Recognition Evidenced by Ultraviolet Resonance Raman Spectroscopy
L. Chinsky and P. Y. Turpin 277

Three-Dimensional Structure of Actinoxanthin. IV. A 2.5-Å Resolution
V. Z. Pletnev, A. P. Kuzin, S. D. Trakhanov and P. V. Kostetsky 287

Crystallization Behavior of Glucomannan
H. D. Chanzy, A. Grosrenaud, J. P. Joseleau, M. Dubé, and R. H. Marchessault 301

Change in Conformation of Various DNAs on Melting as Followed by Circular Dichroism
C. A. Sprecher and W. C. Johnson, Jr. 321

Comparative Microcalorimetric and Dilatometric Analysis of the Interactions of Quinacrine, Chloroquine, and Ethidium Bromide with DNA
F. Delben, F. Quadrifoglio, V. Giancotti, and V. Crescenzi 331

Chromatin Structure Studied by Linear Dichroism at Different Salt Concentrations
F. Tjerneld, B. Nordén, and H. Wallin 343

^{15}N-NMR Spectroscopy. 33. Assignments of Isotactic and Syndiotactic Sequences in Poly(D,L-amino acids)
H. R. Kricheldorf and W. E. Hull 359

^{1}H-NMR Comparative Studies of Polynucleotides: Conformation and Dynamic Structure of Polyribo(uridylic) and Polyribo(cytidylic) Acids in Neutral Solution
J. M. Neumann and S. Tran-dinh 383

Thermodynamic Functions of Biopolymer Hydration. I. Their Determination by Vapor Pressure Studies, Discussed in an Analysis of the Primary Hydration Process
M. Lüscher-Mattli and M. Rüegg 403

Thermodynamic Functions of Biopolymer Hydration. II. Enthalpy–Entropy Compensation in Hydrophilic Hydration Processes
M. Lüscher-Mattli and M. Rüegg 419

Physicochemical Properties of Pectic Acid. I. Thermodynamic Evidence of a pH-Induced Comformational Transition in Aqueous Solution
A. Cesàro, A. Ciana, F. Delben, G. Manzini, and S. Paoletti 431

Light Scattering of Bovine Serum Albumin Solutions: Extension of the Hard Particle Model to Allow for Electrostatic Repulsion
A. P. Minton and H. Edelhoch 451

Borate Complexes of Amphotericin B: Polymeric Species and Aggregates in Aqueous Solutions
G. Strauss and F. Kral 459

COMMUNICATIONS TO THE EDITOR

N-Substitutes Poly-α-Amino Acids. III. Synthesis and Conformational Properties of Poly(*N*-Methyl-L-Glutamic Acid)
A. Cosani, M. Terbojevich, M. Palumbo, E. Peggion, and M. Goodman 471

ISSUE NO. 3, MARCH

Comprehensive Conformational Analysis of $(Gly\text{-}Pro\text{-}Pro)_n$ and $(Gly\text{-}Pro\text{-}Hyp)_n$ Related to Collagen
V. G. Tumanyan and N. G. Esipova 475

Changes in Raman Vibrational Bands of Calf Thymus DNA During the $\overline{B}$-to-$\overline{A}$ Transition
J. C. Martin and R. M. Wartell 499

Structure of the Deoxytetranucleotide d-pApTpApT and a Sequence-Dependent Model for Poly(dA-dT)
M. A. Viswamitra, Z. Shakked, P. G. Jones, G. M. Sheldrick, S. A. Salisbury, and O. Kennard 513

Conformational Energy Calculations on Glycosylated Turns in Glycoproteins
C. A. Bush 535

The Chiroptical Properties of Proteins. III. Adenylate Kinase
R. W. Snyder and T. M. Hooker, Jr. 547

Dynamics of Folding and Unfolding Transition in a Globular Protein Studied by Time Correlation Functions from Computer Simulation
F. Kanô and N. Gō 565

Hyaluronate Diffusion in Semidilute Solutions
K.-O. Wik and W. D. Comper 583

Equilibrium Swelling of Pigment Gallstones: Evidence for Network Polymer Structure
B. E. Black, S. H. Carr, H. Ohkubo, and J. D. Ostrow 601

Visualization of the Nature of Protein Folding by a Study of a Distance Constraint Approach in Two-Dimensional Models
H. Wako and H. A. Scheraga 611

Interactions of Molecules with Nucleic Acids. VI. Computer Design of Chromophoric Intercalating Agents
K. J. Miller and D. D. Newlin 633

^{25}Mg-NMR Investigations of the Magnesium Ion–DNA Interaction
D. M. Rose, C. F. Polnaszek, and R. G. Bryant 653

Factors Affecting the Kinetics of DNA Reassociation in Phenol–Water Emulsion at High DNA Concentrations
R. Wieder and J. G. Wetmur 665

Stable Cruciform Formation at Inverted Repeat Sequences in Supercoiled DNA
C. J. Benham 679

COMMUNICATIONS TO THE EDITOR

An Effective Method for the Assignment of ^{31}P-NMR Resonance(s) of Oligonucleotides
D. M. Cheng, L-S. Kan, P. S. Miller, E. E. Leutzinger, and P. O. P. T'so 697

Effects of Side-Chain Conformation on π-π^* Circular Dichroic Spectra of Poly(L-α-aminobutyric acid) General Helices
J. Applequist 703

Conformational Studies of Diastereomeric Alanyl Tripeptides in Solution and Solid Phases via Raman Spectroscopy
M. Diem 705

Normal Vibrations of Proteins: Glucagon
M. Tasumi, H. Takeuchi, S. Ataka, A. M. Dwivedi, and S. Krimm 711

ISSUE NO. 4, APRIL

Semiflexibility of Collagens in Solution
T. Saito, N. Iso, H. Mizuno, N. Onda, H. Yamato, and H. Odashima 715

NMR Relaxation in DNA. I. The Contribution of Torsional Deformation Modes of the Elastic Filament
S. A. Allison, J. H. Shibata, J. Wilcoxon, and J. M. Schurr 729

Simulations of the Solvent Structure for Macromolecules. III. Determination of the Na+ Counterion Structure
E. Clementi and G. Corongiu 763

Theoretical π-π^* Absorption and Circular Dichroic Spectra of Polypeptide β-Structures
J. Applequist 779

Hydrodynamics, Size, and Shape of Bacteriophage T4D Tails and Baseplates
J. A. Benbasat and V. A. Bloomfield 797

Influence of Hemin on the Conformation of Cyanogen Bromide-Cleaved Peptides of Apomyoglobin
M. Nakano, H. Iwamaru, T. Tobita, and J. T. Yang 805

On the Interpretation and Prediction of X-Ray Scattering Profiles of Biomolecules in Solution
C. A. Pickover and D. M. Engelman 817

Spin-Label Studies of the pH-Induced Random Coil to α-Helix Conformational Transition in Poly(L-lysine)
J. F. Skinner, H. H. Calkins, W. C. Liles, Jr., and L. J. Kaplan 833

Circular Dichroism Study of Modified Nucleosides
A. Gałat and A. Jankowski 849

Correlation Between Sugar Pucker and the Orientation Around the C3′—O3′ Bond (Φ') in 3′-Mononucleotides
M. M. Dhingra and A. Saran 859

ISSUE NO. 5, MAY

Interactions of DNA with Divalent Metal Ions. IV. Competitive Studies of Mn^{2+} Binding to AT- and GC-Rich DNAs
J. Granot, N. Assa-Munt, and D. R. Kearns 873

Calculated Compression, Bending, Shearing, Torsion, and Base-Tilting Force Constants of B- and A-Form Poly(dG)·Poly(dC)
B. F. Putnam, E. W. Prohofsky, and L. L. Van Zandt 885

Influence of Surfactants on the Conformation of β-Lactoglobulin B using Circular Dichroism
A. J. Hillquist Damon and G. C. Kresheck 895

Fluoroquinacrine Binding to Nucleic Acids: Investigation of the ^{19}F-NMR, Optical, and Fluorescence Properties in the Presence of DNA, Poly(A), and tRNA
P. A. Mirau, R. H. Shafer, T. L. James, and P. H. Bolton 909

Flow Birefringence of T7 Phage DNA: Dependence on Salt Concentration
K. L. Cairney and R. E. Harrington 923

Variations in Collagen Fibril Structure in Tendons
B. Brodsky, E. F. Eikenberry, K. C. Belbruno, and K. Sterling 935

Conformational Dependence of the Vicinal Proton Coupling Constant for the C^{α}—C^{β} Bond in Peptides
M. T. Cung and M. Marraud 953

Interaction of Poly C with *cis*- and *trans*- Diamminedichloroplatinum(II): Secondary Structure Effects
D. P. Strommen and W. L. Peticolas 969

Cooperative Binding of *n*-mers with Steric Hindrance to Finite and Infinite One-Dimensional Lattices
T. Tsuchiya and A. Szabo 979

COMMUNICATIONS TO THE EDITOR

Why Does the Electrophoretic Mobility of DNA in Gels Vary with the Length of the Molecule?
L. S. Lerman and H. L. Frisch 995

Color-Coded α-Carbon Models of Protein
R. J. Fletterick and R. Matela 999

Determination of Intramolecular Microdynamical Characteristics in Solution of the Cyclic Hexadepsipeptide Antibiotic Pristinamycin I_A from ^{13}C Spin Lattice Relaxation Measurements
R. E. A. Callens, M. J. O. Anteunis, and F. A. M. Borremans 1005

ISSUE NO. 6, JUNE

Conformational Study of Poly(α-L-aspartic acid)
V. Saudek, Š. Štokrová, and P. Schmidt 1011

Adsorption of the Polypeptides on a Solid Surface. III. Behavior of Stiff Chains in a Pore
E. B. Zhulina, A. A. Gorbunov, T. M. Birshtein, and A. M. Skvortsov 1021

Polydispersion in the Diameter of Fibers in Fibrin Networks: Consequences on the Measurement of Mass–Length Ratio by Permeability and Turbidity
G. A. Shah, I. A. Ferguson, T. Z. Dhall, and D. P. Dhall 1037

A Swivel-Jointed Formalism for Segmentally Flexible Macromolecules and Its Application to the Rotational Behavior of Myosin
W. A. Wegener 1049

Kinetics of Thermal Denaturation of Met-Hemoglobin in Perturbed Solvent: Relevance of Bulk-Electrostatic and Hydrophobic Interactions
A. Cupane, D. Giacomazza, and L. Cordone 1081

Stereospecific Oxidation of Ascorbic Acid by Chiral Association Complexes Between Polypeptides and Iron(III) Chelate Ions
M. Barteri and B. Pispisa 1093

Proline-Containing β-Turns in Peptides and Proteins. II. Physicochemical Studies on Tripeptides with the Pro-Gly Sequence
S. K. Brahmachari, R. S. Rapaka, R. S. Bhatnagar, and V. S. Ananthanarayanan 1107

Effects of Pressure on the Composition Density Distribution in the Ultracentrifuge
D. S. Sharp and J. B. Ifft 1127

Synthesis of Sequential Polypeptides Containing L-β-3,4-Dihydroxyphenyl-α-alanine (DOPA) and L-Lysine
H. Yamamoto and T. Hayakawa 1137

Cyclodextrin–Adamantanecarboxylate Inclusion Complexes: A Model System for the Hydrophobic Effect
J. C. Harrison and M. R. Eftink 1153

The Poly(rU) Coil: A Minimum-Energy Model That Matches Experimental Observations
B. E. Hingerty, S. B. Broyde, and W. K. Olson 1167

Binding of Ligands to a One-Dimensional Heterogeneous Lattice. III. Kinetic Model and Relaxation Study of the Interaction of Tilorone with DNA and Polynucleotides
J. Sturm 1189

Backbone Conformations in Nucleic Acids: The Occurrence of g^+g^+ Internucleotide Phosphodiester Conformation
S. Jayaraman, N. Yathindra, and M. Sundaralingam 1207

Lipid-Induced Conformational Changes in Glucagon, Secretin, and Vasoactive Intestinal Peptide
R. M. Robinson, E. W. Blakeney, Jr., and W. L. Mattice 1217

Cu(II)–Protamine Interaction. II. The Formation and Structure of Cu(II) Complexes of Clupeine YII and of Peptides Mimicking Clupeine N-Terminals
S. Salardi, L. Tosi, A. Garnier-Suillerot, C. Toniolo, G. M. Bonora, and F. Marchiori 1229

Two Classes of β-Pleated Sheet Conformation in Poly(L-tyrosine): Evidence from Solvent Perturbation Difference Spectroscopy
H. E. Auer and H. Miller-Auer 1245

ISSUE NO. 7, JULY

Type II β-Turn Conformation of Pivaloyl-L-Prolyl-α-Aminoisobutyryl-*N*-Methylamide: Theoretical, Spectroscopic, and X-Ray Studies
B. V. Venkataram Prasad, H. Balaram, and P. Balaram 1261

Microdomain Dynamics in Folding Proteins
D. L. Weaver 1275

Equilibrium Dialysis Studies of Polyamide Binding to DNA
W. H. Braunlin, T. J. Strick, and M. T. Record, Jr. 1301

Steady-State Opticohydrodynamic Properties of DNA: Molecular Weight Dependence and the Internal Viscosity Problem
C. F. Reeg and R. E. Harrington 1315

Equilibrium Folding and Unfolding Pathways for a Model Protein
S. Miyazawa and R. L. Jernigan 1333

Quasielastic Light Scattering by Biopolymers. V. Interparticle Interactions Between Polynucleosomes
K. S. Schmitz, N. Parthasarathy, J. C. Kent, and J. Gauntt 1365

Quasielastic Light Scattering by Biopolymers. VI. Diffusion of Mononucleosomes and Oligonucleosomes in the Presence of Static and Sinusoidal Electric Fields
K. S. Schmitz 1383

Microwave Absorption by Folded DNA Chains
M. Kohli and L. L. Van Zandt 1399

Properties of the Complexes Formed by 1-Anilinonaphthalene-8-Sulfonate with Phosphorylase Kinase and Calmodulin
R. F. Steiner and H. Sternberg 1411

Aggregation of Apolar Peptides in Organic Solvents. Concentration Dependence of ^{1}H-NMR Parameters for Peptide NH Groups in 3_{10} Helical Decapeptide Fragment of Suzukacillin
M. Igbal and P. Balaram 1427

Dissociation of Bovine and Bacterial Catalases by Sodium *n*-Dodecyl Sulfate
M. N. Jones, P. Manley, P. J. W. Midgley, and A. E. Wilkinson 1435

Helix–Coil Transition of Poly(α,L-Glutamic acid) at an Interface: Correlation with Static and Dynamic Membrane Properties
E. Pefferkorn, A. Schmitt, and R. Varoqui 1451

COMMUNICATIONS TO THE EDITOR

Absorption of Microwave Radiation by DNA Double Helix *in aquo*
L. L. Van Zandt, M. Kohli, and E. W. Prohofsky 1465

Low-Frequency Modes in the Raman Spectra of Proteins
P. C. Painter, L. E. Mosher, and C. Rhoads 1469

Thermal Denaturation of DNA: Interferometric Depolarized Light-Scattering Study
A. Patkowki, G. Fytas, and T. Dorfmüller 1473

ISSUE NO. 8, AUGUST

Proline Ring Conformations Corresponding to a Bistable Jump Model from ^{13}C Spin-Lattice Relaxation Times
S. C. Shekar and K. R. K. Easwaran 1479

Evidence for the Role of 4-Hydroxyproline Localized in the Third Position of the Triplet (Gly-X-Y) in Adaptational Changes of Thermostability of a Collagen Molecule and Collagen Fibrils
T. V. Burjanadze 1489

Light-Scattering Spectroscopic Study of Polysaccharide Protein Conjugate
A. Patkowski, W. Bujalowski, B. Chu, R. Schneerson, and J. B. Robbins 1503

Broadline Proton Magnetic Resonance Study of Cellulose, Pectin, and Bean Cell Walls
A. L. MacKay, M. Bloom, M. Tepfer, and I. E. P. Taylor 1521

Conformational Preferences of Amino Acid Side Chains in Collagen
G. Némethy and H. A. Scheraga 1535

CD and NMR Studies on the Interaction of Lithium Ion with Valinomycin and Gramicidin-S
M. B. Sankaram and K. R. K. Easwaran 1557

Far-Infrared Absorption of Nucleotides and Poly(I)·Poly(C) RNA
C. P. Beetz, Jr. and G. Ascarelli 1569

Stabilization of Collagen Structure: Dependence of Collagen Denaturation Enthalpy on the Imino Acid Content
T. V. Burjanadze 1587

Photoselective Synthesis of Azobenzene-Containing Cyclic Oligosarcosine and Its Thermal *Cis* → *Trans* Isomerization in Solution
M. Sisido, H. Ito, and Y. Imanishi 1597

Monte Carlo Simulation of Photoselective Cyclization of Azobenzene-Containing Oligosarcosines
M. Sisido and Y. Imanishi 1613

Solution Properties and Chain Flexibility of Pullulan in Aqueous Solution
T. Kato, T. Okamoto, T. Tokuya, and A. Takahashi 1623

^{15}N-NMR Spectroscopy. 34. Stereospecificity of the Polymerization of D,L-Leucine *N*-Carboxyanhydride and γ-OMe-D,L-Glutamic Acid *N*-Carboxyanhydride
H. R. Kricheldorf and W. E. Hull 1635

Ionization Behavior of Proteins. I. Spectral Titration of the Tyrosyl Groups of Chymotrypsinogen and Nitrated-Chymotrypsinogen
C. J. Martin and M. A. Marini 1657

Ionization Behavior of Proteins. II. Chymotrypsinogen and Its Group-Modified Derivatives: Study of Their Ionization Characteristics by Potentiometric and Calorimetric Titration
C. J. Martin and M. A. Marini 1667

COMMUNICATIONS TO THE EDITOR

Statistical Analysis of DNA Sequences. I
M. Y. Azbel, Y. Kantor, L. Verkh, and A. Vilenkin 1687

Statistical Analysis of DNA Sequences. II
A. Vilenkin and L. Verkh 1691

ISSUE NO. 9, SEPTEMBER

Dependence of Thermal Stability on the Number of Hydrogen Bonds in Water-Bridged Collagen Structure
T. V. Burjanadze and E. L. Kisiriya 1695

Kinetic and Equilibrium Studies of the Interactions of Silver Ions with Poly(A)
Y. Yakabe, T. Sano, N. Kure, K. Murakami, and T. Yasunaga 1703

Structure of Methylene Blue–DNA Complexes Studied by Linear and Circular Dichroism Spectroscopy
B. Nordén and F. Tjerneld 1713

Examination of Haldane's First Law for the Partition of CO and O_2 to Hemoglobin A_0
J. Wyman, G. Bishop, B. Richey, R. Spokane, and S. Gill 1735

Cooperative Effects in α-Helices: An *ab initio* Molecular-Orbital Study
P. T. Van Duijnen and B. T. Thole 1749

Polynucleotide Conformation from Flow Dichroism Studies
G. C. Causley and W. C. Johnson, Jr. 1763

Model for the Adsorption of Cytochrome *c* at the Water–Mercury Interface
P.-A. Serre, J. Haladjian, and P. Bianco 1781

Theoretical Study of the Fraction of a Long-Chain DNA That Can Be Incorporated in a Recombinant DNA Partial-Digest Library
B. Seed 1793

Studies of Fibrin Film. I. Stress Relaxation and Birefringence
F. J. Roska and J. D. Ferry 1811

Studies of Fibrin Film. II. Small-Angle X-Ray Scattering
F. J. Roska, J. D. Ferry, J. S. Lin, and J. W. Anderegg 1833

Crystal Structures of Diketopiperazines Containing α-Aminoisobutyric Acid: Cyclo(Aib-Aib) and Cyclo(Aib-L-Ile)
K. Suguna, S. Ramakumar, N. Shamala, B. V. Venkataram Prasad, and P. Balaram 1847

Steady-State and Transient Electric Birefringence of Solutions of Bent-Rod Macromolecules
P. Mellado and J. García de la Torre 1857

Ligand-Induced Melting Reaction of Specific-Sequence DNA Molecules
H. Tachibana and A. Wada 1873

Theoretical Studies on the Conformation of Saccharides. IV. Solvent Effect on the Stability of β-Maltose Conformers
I. Tvaroška 1887

A Circular Dichroism Microspectrophotometer
M. F. Maestre and J. E. Katz 1899

Study of Agarose Gels by Electron Microscopy of Freeze-Fractured Surfaces
S. Waki, J. D. Harvey, and A. R. Bellamy 1909

COMMUNICATIONS TO THE EDITORS

Salt Effects on the Helix–Coil Transition of Sodium Poly(L-glutamate) in Aqueous Solution
M. Satoh, J. Komiyama, and T. Iijima 1927

ISSUE NO. 10, OCTOBER

Energy Embedding of Trypsin Inhibitor
G. M. Crippen 1933

Molecular-Mechanical Studies of Z-DNA: A Comparison of the Structural and Energetic Properties of Z- and B-DNA
P. Kollman, P. Weiner, G. Quigley, and A. Wang 1945

Crystal Structure and Solution Conformation of 1-*N*-Acetyl-β-D-Glucopyranosyl Amine: A Model for the Glycopeptide Linkage
C. A. Bush, K. Blumberg, and J. N. Brown 1971

Molecular Dynamics of Ferrocytochrome c: Anharmonicity of Atomic Displacements
B. Mao, M. R. Pear, J. A. McCammon, and S. H. Northrup 1979

Flow Dichroism of Capsid DNA Phages. I. Fast and Slow T4B
S. B. Hall and J. A. Schellman 1991

Flow Dichroism of Capsid DNA Phages. II. Effect of DNA Deletions and Intercalating Dyes
S. B. Hall and J. A. Schellman 2011

Polynucleotide Folding in Yeast $tRNA^{Phe}$: Elucidation of Short-, Medium-, and Long-Range Interactions of Sugar–Phosphate–Sugar Backbone and Base Using a "Blocked" Nucleotide Probe
R. Malathi and N. Yathindra 2033

Pulsed Field Gradient NMR Determination of the Temperature Dependence of the Tracer Diffusion Coefficient of Hemoglobin
C. H. Everhart and C. S. Johnson, Jr. 2049

Effect of Water on Piezoelectric, Dielectric, and Elastic Properties of Bone
H. Maeda and E. Fukada 2055

Fluctuational Base-Pair Opening in DNA at Temperatures Below the Helix–Coil Transition Region
R. M. Wartell and A. S. Benight 2069

ISSUE NO. 11, NOVEMBER

Normal Modes and Structure of Iodine in the Starch–Iodine Complex
H. Kim 2083

New Polymer Syntheses. IV. Polypeptides of Lysine and Ornithine with Pending Pyrimidine Bases
H. R. Kricheldorf and M. Fehrle 2097

Theory of DNA Condensation: Collapse Versus Aggregation
C. B. Post and B. H. Zimm 2123

Light-Scattering Study of DNA Condensation: Competition Between Collapse and Aggregation
C. B. Post and B. H. Zimm 2139

Vibrational Circular Dichroism in Amino Acids and Peptides. 7. Amide Stretching Vibrations in Polypeptides
B. B. Lal and L. A. Nafie 2161

Calorimetric Determination of Base-Stacking Enthalpies in Double-Helical DNA Molecules
L. A. Marky and K. J. Breslauer 2185

Conformational Study of Poly(α,β-L-aspartic acid)
V. Saudek, Š. Štokrová, and P. Schmidt 2195

Fibrin Polymerization Studied by Static and Dynamic Light-Scattering as a Function of Fibrinopeptide A Release
P. Wiltzius, G. Dietler, W. Känzig, A. Häberli, and P. W. Straub 2205

^{1}H-NMR Studies of Polyoxyethylene-Bound Homo-oligo-L-methionines
A. A. Ribeiro, R. P. Saltman, M. Goodman, and M. Mutter 2225

A Fully Nonequilibrium Concerted Model for Enzymes
J. S. Shiner 2241

Kinetics of Formation of Fibrin Oligomers. I. Theory
P. A. Janmey 2253

Kinetics of Formation of Fibrin Oligomers. II. Size Distributions of Ligated Oligomers
M. D. Bale, P. A. Janmey, and J. D. Ferry 2265

DNA Bis-Intercalation: Theoretical Analysis, Including Cooperativity of the Interaction of Echinomycin Analogs with DNA
R. H. Schafer and M. J. Waring 2279

The C-Terminal Extrahelical Peptide of Type I Collagen and Its Role in Fibrillogenesis *In Vitro*
M. J. Capaldi and J. A. Chapman 2291

COMMUNICATIONS TO THE EDITOR

Mobility of DNA in Gel Electrophoresis
O. J. Lumpkin and B. H. Zimm 2315

ISSUE NO. 12, DECEMBER

Conformational Studies of Diastereoisomeric cyclo(Alanyl-phenylalanyl) with the Coupling Constants ^1H–^1H, ^{15}N–^1H, ^{13}C–^1H, and ^{13}C–^{15}N
J. Vicar, K. Blaha, F. Piriou, M. Juy, H. Lam-Thanh, and S. Fermandjian .. 2317

Loop Formation in Polynucleotide Chains. I. Theory of Hairpin Loop Closure
N. L. Marky and W. K. Olson 2329

Molecular-Mechanics Studies on $d(CGCGAATTCGCG)_2$ and dA_{12}-dT_{12}: An Illustration of the Coupling Between Sugar Repuckering and DNA Twisting
P. Kollman, J. W. Keepers, and P. Weiner 2345

Vibrational Analysis of Peptides, Polypeptides, and Proteins. XV. Crystalline Polyglycine II
A. M. Dwivedi and S. Krimm 2377

Kinetics of Transfer in Aqueous Solution of Ferriprotoporphyrin IX From Human Serum Albumin to Sperm Whale Apomyoglobin
G. Blauer and J. Silfen 2399

On the Theory of Ψ-Condensation
A. Yu. Grosberg, I. Ya. Erukhimovitch, and E. I. Shakhnovitch 2413

Linear Dichroism Studies of Nucleic Acids. II. Calculation of Reduced Dichroism Curves of A- and B-Form DNA
Y. Matsuoka and B. Nordén 2433

Microwave Absorption of DNA Between 8 and 12 GHz
M. L. Swicord and C. C. Davis 2453

Molecular Structure of *t*-Butyloxycarbonyl-Leu-Aib-Pro-Val-Aib-Methyl Ester, a Fragment of Alamethicin and Suzukacillin: A 3_{10}-Helical Pentapeptide
C. P. Rao and P. Balaram 2461

COMMUNICATIONS TO THE EDITOR

Hydrophobic Contribution to the Binding of Actinomycin D to Deoxyguanosines
M. Prabhakaran and P. K. Ponnuswamy 2473

Low-Lying Collective Modes of DNA Double Helix by Raman Spectroscopy
H. Urabe and Y. Tominaga 2477

Long-Range Spin–Spin Coupling as an Aid for the Assignment of Aromatic Residues in Peptide ^1H-NMR Spectra
H. I. Mosberg 2483

Author Index 2487
Subject Index 2497
Information for Contributors 2509